

LIST OF TESTING SERVICES AVAILABLE AT NTH(NR), GHAZIABAD

Sl.No	Region Name	Division	Material/Component/Product	Test Facilities	Specification	NABL	BIS	Approx. duration (in Days)
1	GHAZIABAD	ELECTRICAL TESTING	PVC insulated Cables Single Core Indoor (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13)	Full Test	IS 694	Yes	Yes	25
2	GHAZIABAD	ELECTRICAL TESTING	PVC insulated Cables each extra core	Cable extra core test Charge	IS 694	Yes	Yes	25
3	GHAZIABAD	ELECTRICAL TESTING	PVC insulated Cables Single Core OUSZ (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14)	Full Test	IS 694	Yes	Yes	25
4	GHAZIABAD	ELECTRICAL TESTING	PVC insulated Cable each extra core OUSZ	Cable extra core test Charge	IS 694	Yes	Yes	25
5	GHAZIABAD	ELECTRICAL TESTING	PVC insulated Cables Single Core OUSZ (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14)	Construction	IS 694	Yes	Yes	25
6	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	Full Test	IS 694	Yes	Yes	25
7	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS each extra Core	Cable extra core test Charge	IS 694	Yes	Yes	10
8	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	TESTS on CONDUCTOR (Annealing Test for Copper)	IS 694	Yes	Yes	1
9	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	TESTS on CONDUCTOR (Tensile Test for Aluminium)	IS 694	Yes	Yes	1
10	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	TESTS on CONDUCTOR (Wrapping Test for Aluminium)	IS 694	Yes	Yes	1
11	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	TESTS on CONDUCTOR (Resistance Test)	IS 694	Yes	Yes	1
12	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	Test for overall dimensions & thickness of Insulation & Sheath	IS 694	Yes	Yes	10
13	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Tensile Strength & Elongation at break)	IS 694	Yes	Yes	2
14	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Loss of Mass)	IS 694	Yes	Yes	10
15	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Ageing in Air Oven)	IS 694	Yes	Yes	12
16	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Shrinkage Test)	IS 694	Yes	Yes	2
17	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Heat Shock Test)	IS 694	Yes	Yes	2
18	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Hot Deformation Test)	IS 694	Yes	Yes	2
19	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Insulation Resistance)	IS 694	Yes	Yes	5
20	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (High Voltage Test (Water Immersion))	IS 694	Yes	Yes	5
21	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	PHYSICAL TEST ON INSULATION & SHEATH (Flammability Test)	IS 694	Yes	Yes	5
22	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	Optional Tests (As per Test Request)-Cold Bend Test	IS 694	Yes	Yes	2
23	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	Optional Tests (As per Test Request)-Cold Impact Test	IS 694	Yes	Yes	2
24	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	Optional Tests (As per Test Request)-Additional Ageing Test	IS 694	Yes	Yes	14
25	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,15)	FRLS Properties (Chemical)	IS 694	Yes	Yes	15
26	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	Full Test	IS 1554 (1)	Yes	Yes	25
27	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Each Extra Core	Cable extra core Charge	IS 1554 (1)	Yes	Yes	25
28	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	TESTS on CONDUCTOR (Annealing Test for Copper)	IS 1554 (1)	Yes	Yes	1
29	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	TESTS on CONDUCTOR (Tensile Test on Aluminium)	IS 1554 (1)	Yes	Yes	1
30	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	TESTS on CONDUCTOR (Wrapping Test for Aluminium)	IS 1554 (1)	Yes	Yes	1
31	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	TESTS on CONDUCTOR (Resistance Test)	IS 1554 (1)	Yes	Yes	1
32	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	Test for overall dimensions & thickness of Insulation & Sheath	IS 1554 (1)	Yes	Yes	1
33	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Tensile Strength & Elongation at break)	IS 1554 (1)	Yes	Yes	2
34	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Loss of Mass)	IS 1554 (1)	Yes	Yes	6
35	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Ageing in Air Oven)	IS 1554 (1)	Yes	Yes	12
36	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Shrinkage Test)	IS 1554 (1)	Yes	Yes	2

37	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Heat Shock Test)	IS 1554 (1)	Yes	Yes	2
38	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Hot Deformation Test)	IS 1554 (1)	Yes	Yes	2
39	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Insulation Resistance)	IS 1554 (1)	Yes	Yes	4
40	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (High Voltage Test (Water Immersion))	IS 1554 (1)	Yes	Yes	4
41	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (High Voltage Test at Room Temperature)	IS 1554 (1)	Yes	Yes	2
42	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Flammability Test)	IS 1554 (1)	Yes	Yes	2
43	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	PHYSICAL TEST ON INSULATION & SHEATH (Thermal Stability)	IS 1554 (1)	Yes	Yes	2
44	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	Optional Tests (As per Test Request)-Cold Bend Test	IS 1554 (1)	Yes	Yes	2
45	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	Optional Tests (As per Test Request)-Cold Impact Test	IS 1554 (1)	Yes	Yes	2
46	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	Optional Tests (As per Test Request)-Armour Resistance Test	IS 1554 (1)	Yes	Yes	1
47	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,16(iii))	FRLS Properties	IS 1554 (1)	Yes	Yes	25
48	GHAZIABAD	ELECTRICAL TESTING	PVC Cable Single Core	Partial Test	IS 14494	No	No	40
49	GHAZIABAD	ELECTRICAL TESTING	PVC Cable each extra core	Partial Test	IS 14494	No	No	40
50	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Non-Mining Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15)	Full Test	IS 1554 (1)	Yes	Yes	25
51	GHAZIABAD	ELECTRICAL TESTING	PVC Cables Non-Mining Each Extra Core	Cable extra core Charge	IS 1554 (1)	Yes	Yes	25
52	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS Single Core (A1,2,3,4 B, C5,6,7,8,9,10,11,12,13,14,15,17)	Full Test	IS 1554 (1)	Yes	Yes	25
53	GHAZIABAD	ELECTRICAL TESTING	PVC Insulated Cable FRLS each extra Core	Additional Charge	IS 1554 (1)	Yes	Yes	25
54	GHAZIABAD	ELECTRICAL TESTING	XLPE insulated, PVC sheathed, Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19)	Full Test	IS 7098(1)	Yes	Yes	25
55	GHAZIABAD	ELECTRICAL TESTING	XLPE insulated, PVC sheathed, Each Extra Core	Additional Charge	IS 7098(1)	Yes	Yes	25
56	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Mining Cable Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,21)	Full Test	IS 7098(1)	Yes	Yes	25
57	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Mining Cable each extra core	Cable extra core test Charge	IS 7098(1)	Yes	Yes	25
58	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Full Test	IS 7098(1)	Yes	Yes	25
59	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS each extra Core	Cable extra core test Charge	IS 7098(1)	Yes	Yes	25
60	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	TESTS on CONDUCTOR (Annealing Test on Copper)	IS 7098(1)	Yes	Yes	1
61	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	TESTS on CONDUCTOR (Tensile Test on Aluminium)	IS 7098(1)	Yes	Yes	1
62	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	TESTS on CONDUCTOR (Wrapping Test on Aluminium)	IS 7098(1)	Yes	Yes	1
63	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	TESTS on CONDUCTOR (Resistance Test)	IS 7098(1)	Yes	Yes	1
64	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Test on Armouring Wire / Strips	IS 7098(1)	Yes	Yes	1
65	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Test for thickness of Insulation & Sheath	IS 7098(1)	Yes	Yes	1
66	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	PHYSICAL TEST ON INSULATION (Tensile Strength & Elongation at break)	IS 7098(1)	Yes	Yes	1
67	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	PHYSICAL TEST ON INSULATION (Hot Set Test)	IS 7098(1)	Yes	Yes	2
68	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	PHYSICAL TEST ON INSULATION (Ageing in Air Oven)	IS 7098(1)	Yes	Yes	10
69	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	PHYSICAL TEST ON INSULATION (Shrinkage Test)	IS 7098(1)	Yes	Yes	1
70	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	PHYSICAL TEST ON INSULATION (Water Absorption Test)	IS 7098(1)	Yes	Yes	16
71	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Tensile Strength & Elongation at break)	IS 7098(1)	Yes	Yes	2
72	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Loss of Mass Test)	IS 7098(1)	Yes	Yes	10
73	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Ageing in Air Oven)	IS 7098(1)	Yes	Yes	10
74	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Shrinkage Test)	IS 7098(1)	Yes	Yes	2
75	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Hot Deformation Test)	IS 7098(1)	Yes	Yes	2
76	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Heat Shock Test)	IS 7098(1)	Yes	Yes	1
77	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Thermal Stability Test)	IS 7098(1)	Yes	Yes	1
78	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Physical Test on Outer Sheath (Insulation Resistance)	IS 7098(1)	Yes	Yes	2
79	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	High Voltage Test	IS 7098(1)	Yes	Yes	2
80	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Flammability Test	IS 7098(1)	Yes	Yes	1
81	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Cold Bend / Cold Impact Test (Optional)	IS 7098(1)	Yes	Yes	2
82	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	Resistance Test on Armour (Optional)	IS 7098(1)	Yes	Yes	1
83	GHAZIABAD	ELECTRICAL TESTING	XLPE Insulated Cable FRLS Single Core (A1,2,3,4 B, C, D5,6,7,8,9 E10 - 19,22)	FRLS Properties	IS 7098(1)	Yes	Yes	30

84	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Full Test	IS 14255	Yes	Yes	25
85	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Test on Phase / Street Light Conductor (Tensile Test)	IS 14255	Yes	Yes	1
86	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Test on Phase / Street Light Conductor (Wrapping Test)	IS 14255	Yes	Yes	1
87	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Test on Phase / Street Light Conductor (Resistance Test)	IS 14255	Yes	Yes	1
88	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Test on Messenger Conductor (Breaking Load Test)	IS 14255	Yes	Yes	1
89	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Test on Messenger Conductor (Elongation Test)	IS 14255	Yes	Yes	1
90	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Test on Messenger Conductor (Resistance Test)	IS 14255	Yes	Yes	1
91	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Physical Test on XLPE Insulation (Tensile Strength & Elongation at break)	IS 14255	Yes	Yes	2
92	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Physical Test on XLPE Insulation (Hot Set Test)	IS 14255	Yes	Yes	2
93	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Physical Test on XLPE Insulation (Ageing in Air Oven)	IS 14255	Yes	Yes	10
94	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Physical Test on XLPE Insulation (Shrinkage Test)	IS 14255	Yes	Yes	2
95	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Physical Test on XLPE Insulation (Water Absorbtion Test)	IS 14255	Yes	Yes	16
96	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Physical Test on XLPE Insulation (Test for thickness of Insulation)	IS 14255	Yes	Yes	2
97	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Insulation Resistance (Volume Resistivity)	IS 14255	Yes	Yes	2
98	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	High Voltage Test	IS 14255	Yes	Yes	1
99	GHAZIABAD	ELECTRICAL TESTING	Ariel Bunched Cable	Bending Test (Optional)	IS 14255	Yes	Yes	2
100	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Full Test	IS 8783(3)	no	no	30
101	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	TESTS on CONDUCTOR (Annealing Test)	IS 8783(3)	no	no	1
102	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	TESTS on CONDUCTOR (Resistance Test)	IS 8783(3)	no	no	1
103	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	TESTS on CONDUCTOR (Conductor Diameter)	IS 8783(3)	no	no	1
104	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Test on Insulation & Jacket (Test for thickness)	IS 8783(3)	no	no	2
105	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Test on Insulation & Jacket (Tensile Strength & Elongation)	IS 8783(3)	no	no	7
106	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Test on Insulation & Jacket (Thermal Ageing in Air)	IS 8783(3)	no	no	7
107	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Test on Insulation & Jacket (Heat Shock Test)	IS 8783(3)	no	no	2
108	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Test on Insulation & Jacket (Hot Set Test)	IS 8783(3)	no	no	2
109	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Tests on Finished Cable (Overall Dimension)	IS 8783(3)	no	no	1
110	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Tests on Finished Cable (High Voltage Test)	IS 8783(3)	no	no	2
111	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Tests on Finished Cable (Insulation Resistance Test)	IS 8783(3)	no	no	1
112	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Tests on Finished Cable (Shrinkage Test)	IS 8783(3)	no	no	1
113	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Tests on Finished Cable (Hot Deformation Test)	IS 8783(3)	no	no	2
114	GHAZIABAD	ELECTRICAL TESTING	Winding Wires for Submersible Cable	Tests on Finished Cable (Water Absorbtion Test)	IS 8783(3)	no	no	16
115	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Full Test	IS 9857	no	no	30
116	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	TESTS on CONDUCTOR (Annealing Test)	IS 9857	no	no	1
117	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	TESTS on CONDUCTOR (Resistance Test)	IS 9857	no	no	1
118	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	TESTS on CONDUCTOR (Test for Thickness of Covering)	IS 9857	no	no	1
119	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Physical Test on Covering (Tensile Strength & Elongation at break)	IS 9857	no	no	10
120	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Hot Set Test	IS 9857	no	no	2
121	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Ageing in Air Oven	IS 9857	no	no	10
122	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Oil Resistance Test	IS 9857	no	no	15
123	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	High Voltage Test (Water Immersion)	IS 9857	no	no	2
124	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Static Flexibility Test	IS 9857	no	no	1
125	GHAZIABAD	ELECTRICAL TESTING	Welding Cables	Flammability Test	IS 9857	no	no	1
126	GHAZIABAD	ELECTRICAL TESTING	Elastomer Insulated Cable Single Core	Full Test	IS 9968(1)	no	no	30
127	GHAZIABAD	ELECTRICAL TESTING	Elastomer Insulated Cable Each Extra Core	Additional Charge	IS 9968(1)	no	no	30
128	GHAZIABAD	ELECTRICAL TESTING	Water Coolers (One No.)	Full Test	IS 1475(1)	Yes	Yes	15
129	GHAZIABAD	ELECTRICAL TESTING	Water Coolers (Two Nos.)	Full Test	IS 1475(1)	Yes	Yes	20
130	GHAZIABAD	ELECTRICAL TESTING	WATER COOLER	Insulation Resistance Test	IS 1475(1)	Yes	Yes	1
131	GHAZIABAD	ELECTRICAL TESTING	WATER COOLER	High Voltage Test	IS 1475(1)	Yes	Yes	1
132	GHAZIABAD	ELECTRICAL TESTING	WATER COOLER	Cooling Capacity Rating Test	IS 1475(1)	Yes	Yes	5
133	GHAZIABAD	ELECTRICAL TESTING	WATER COOLER	Maximum Operating Conditions Test	IS 1475(1)	Yes	Yes	5
134	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Full Test	IS 8978	Yes	Yes	25
135	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Protection against Electric Shocks	IS 8978	Yes	Yes	1

136	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Input	IS 8978	Yes	Yes	1
137	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Temperature Rise	IS 8978	Yes	Yes	1
138	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Operation under over-load conditions	IS 8978	Yes	Yes	1
139	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Electrical Insulation & Leakage Current	IS 8978	Yes	Yes	1
140	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Moisture Resistance	IS 8978	Yes	Yes	2
141	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Endurance Test	IS 8978	Yes	Yes	2
142	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Abnormal Operation	IS 8978	Yes	Yes	2
143	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Stability & Mechanical Hazard	IS 8978	Yes	Yes	1
144	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Mechanical Strength	IS 8978	Yes	Yes	1
145	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Construction	IS 8978	Yes	Yes	1
146	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Internal Wiring	IS 8978	Yes	Yes	1
147	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Components	IS 8978	Yes	Yes	1
148	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Supply Connections & Flexible Cords	IS 8978	Yes	Yes	1
149	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Terminals for External Conductor	IS 8978	Yes	Yes	1
150	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Earthing Connections	IS 8978	Yes	Yes	1
151	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Screws & Connections	IS 8978	Yes	Yes	1
152	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Creepage Distance & Clearance	IS 8978	Yes	Yes	1
153	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Resistance to Heat & Fire	IS 8978	Yes	Yes	1
154	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Resistance to Rusting	IS 8978	Yes	Yes	1
155	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Finish	IS 8978	Yes	Yes	1
156	GHAZIABAD	ELECTRICAL TESTING	Instantaneous Water Heater	Operation of Flow Switch	IS 8978	Yes	Yes	1
157	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Full Test	IS 1709/1569	Yes	Yes	30
158	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Visual Examination	IS 1709/1569	Yes	Yes	1
159	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Checking of Dimensions	IS 1709/1569	Yes	Yes	1
160	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Mechanical Tests	IS 1709/1569	Yes	Yes	1
161	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Sealing Test	IS 1709/1569	Yes	Yes	1
162	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Capacitances as function of Temperature	IS 1709/1569	Yes	Yes	1
163	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Endurance Test	IS 1709/1569	Yes	Yes	21
164	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Capacitance & tan δ measurement at 27 $^{\circ}$ C	IS 1709/1569	Yes	Yes	1
165	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Damp Heat Test	IS 1709/1569	Yes	Yes	21
166	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	I. R. between terminals & container	IS 1709/1569	Yes	Yes	1
167	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Insulation Resistance between terminals	IS 1709/1569	Yes	Yes	1
168	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Voltage Test between terminals	IS 1709/1569	Yes	Yes	1
169	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Voltage Test between terminals & container	IS 1709/1569	Yes	Yes	1
170	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Self - Healing Test	IS 1709/1569	Yes	Yes	1
171	GHAZIABAD	ELECTRICAL TESTING	Capacitors Upto 5 MFD	Destruction Test	IS 1709/1569	No	No	4
172	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Full Test	IS 1709/1569	Yes	Yes	30
173	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Visual Examination	IS 1709/1569	Yes	Yes	1
174	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Checking of Dimensions	IS 1709/1569	Yes	Yes	1
175	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Mechanical Tests	IS 1709/1569	Yes	Yes	1
176	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Sealing Test	IS 1709/1569	Yes	Yes	1
177	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Capacitances as function of Temperature	IS 1709/1569	Yes	Yes	1
178	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Endurance Test	IS 1709/1569	Yes	Yes	21
179	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Capacitance & tan δ measurement at 27 $^{\circ}$ C	IS 1709/1569	Yes	Yes	1
180	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Damp Heat Test	IS 1709/1569	Yes	Yes	21
181	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	I. R. between terminals & container	IS 1709/1569	Yes	Yes	1
182	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Insulation Resistance between terminals	IS 1709/1569	Yes	Yes	1
183	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Voltage Test between terminals	IS 1709/1569	Yes	Yes	1
184	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Voltage Test between terminals & container	IS 1709/1569	Yes	Yes	1
185	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Self - Healing Test	IS 1709/1569	Yes	Yes	1
186	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Destruction Test	IS 1709/1569	No	No	4
187	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Full Test	IS 1709/1569	Yes	Yes	30
188	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Visual Examination	IS 1709/1569	Yes	Yes	1
189	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Checking of Dimensions	IS 1709/1569	Yes	Yes	1
190	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Mechanical Tests	IS 1709/1569	Yes	Yes	1
191	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Sealing Test	IS 1709/1569	Yes	Yes	1
192	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Capacitances as function of Temperature	IS 1709/1569	Yes	Yes	1
193	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Endurance Test	IS 1709/1569	Yes	Yes	21
194	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Capacitance & tan δ measurement at 27 $^{\circ}$ C	IS 1709/1569	Yes	Yes	1

195	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Damp Heat Test	IS 1709/1569	Yes	Yes	21
196	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	I. R. between terminals & container	IS 1709/1569	Yes	Yes	1
197	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Insulation Resistance between terminals	IS 1709/1569	Yes	Yes	1
198	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Voltage Test between terminals	IS 1709/1569	Yes	Yes	1
199	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Voltage Test between terminals & container	IS 1709/1569	Yes	Yes	1
200	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Self - Healing Test	IS 1709/1569	Yes	Yes	1
201	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Destruction Test	IS 1709/1569	No	No	4
202	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Full Test	IS 1709/1569	Yes	Yes	30
203	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Visual Examination	IS 1709/1569	Yes	Yes	1
204	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Checking of Dimensions	IS 1709/1569	Yes	Yes	1
205	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Mechanical Tests	IS 1709/1569	Yes	Yes	1
206	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Sealing Test	IS 1709/1569	Yes	Yes	1
207	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Capacitances as function of Temperature	IS 1709/1569	Yes	Yes	1
208	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Endurance Test	IS 1709/1569	Yes	Yes	21
209	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Capacitance & tan δ measurement at 27 $^{\circ}$ C	IS 1709/1569	Yes	Yes	1
210	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Damp Heat Test	IS 1709/1569	Yes	Yes	21
211	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	I. R. between terminals & container	IS 1709/1569	Yes	Yes	1
212	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Insulation Resistance between terminals	IS 1709/1569	Yes	Yes	1
213	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Voltage Test between terminals	IS 1709/1569	Yes	Yes	1
214	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Voltage Test between terminals & container	IS 1709/1569	Yes	Yes	1
215	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Self - Healing Test	IS 1709/1569	Yes	Yes	1
216	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Destruction Test	IS 1709/1569	No	Yes	4
217	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Full Test	IS 1709/1569	Yes	Yes	30
218	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Visual Examination	IS 1709/1569	Yes	Yes	1
219	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Checking of Dimensions	IS 1709/1569	Yes	Yes	1
220	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Mechanical Tests	IS 1709/1569	Yes	Yes	1
221	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Sealing Test	IS 1709/1569	Yes	Yes	1
222	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Capacitances as function of Temperature	IS 1709/1569	Yes	Yes	1
223	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Endurance Test	IS 1709/1569	Yes	Yes	21
224	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Capacitance & tan δ measurement at 27 $^{\circ}$ C	IS 1709/1569	Yes	Yes	1
225	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Damp Heat Test	IS 1709/1569	Yes	Yes	21
226	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	I. R. between terminals & container	IS 1709/1569	Yes	Yes	1
227	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Insulation Resistance between terminals	IS 1709/1569	Yes	Yes	1
228	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Voltage Test between terminals	IS 1709/1569	Yes	Yes	1
229	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Voltage Test between terminals & container	IS 1709/1569	Yes	Yes	1
230	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Self - Healing Test	IS 1709/1569	Yes	Yes	1
231	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Destruction Test	IS 1709/1569	No	No	4
232	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Full Test	IS 2993	Yes	Yes	30/43/126
233	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Visual Examination	IS 2993	Yes	Yes	1
234	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Checking of Marking	IS 2993	Yes	Yes	1
235	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Checking of Dimensions	IS 2993	Yes	Yes	1
236	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Mechanical Tests	IS 2993	Yes	Yes	1
237	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Sealing Test	IS 2993	Yes	Yes	1
238	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Endurance Test	IS 2993	Yes	Yes	9/25/42/125
239	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Capacitance measurement	IS 2993	Yes	Yes	1
240	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Damp Heat Test	IS 2993	Yes	Yes	4/10/21/56
241	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Voltage Test between terminals	IS 2993	Yes	Yes	1
242	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Voltage Test between terminals & container	IS 2993	Yes	Yes	1
243	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Self - Healing Test	IS 2993	Yes	Yes	1
244	GHAZIABAD	ELECTRICAL TESTING	Capacitors upto 5 MFD	Destruction Test	IS 2993	No	No	4
245	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Full Test	IS 2993	Yes	Yes	30/43/126
246	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Visual Examination	IS 2993	Yes	Yes	1
247	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Checking of Marking	IS 2993	Yes	Yes	1
248	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Checking of Dimensions	IS 2993	Yes	Yes	1
249	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Mechanical Tests	IS 2993	Yes	Yes	1
250	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Sealing Test	IS 2993	Yes	Yes	1
251	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Endurance Test	IS 2993	Yes	Yes	9/25/42/125
252	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Capacitance measurement	IS 2993	Yes	Yes	1
253	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Damp Heat Test	IS 2993	Yes	Yes	4/10/21/56

254	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Voltage Test between terminals	IS 2993	Yes	Yes	1
255	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Voltage Test between terminals & container	IS 2993	Yes	Yes	1
256	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Self - Healing Test	IS 2993	Yes	Yes	1
257	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 6 to 10 MFD	Destruction Test	IS 2993	yes	yes	4
258	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Full Test	IS 2993	Yes	Yes	30/43/126
259	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Visual Examination	IS 2993	Yes	Yes	1
260	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Checking of Marking	IS 2993	Yes	Yes	1
261	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Checking of Dimensions	IS 2993	Yes	Yes	1
262	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Mechanical Tests	IS 2993	Yes	Yes	1
263	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Sealing Test	IS 2993	Yes	Yes	1
264	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Endurance Test	IS 2993	Yes	Yes	9/25/42/125
265	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Capacitance measurement	IS 2993	Yes	Yes	1
266	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Damp Heat Test	IS 2993	Yes	Yes	4/10/21/56
267	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Voltage Test between terminals	IS 2993	Yes	Yes	1
268	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Voltage Test between terminals & container	IS 2993	Yes	Yes	1
269	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Self - Healing Test	IS 2993	Yes	Yes	1
270	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 11 to 20 MFD	Destruction Test	IS 2993	yes	yes	4
271	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Full Test	IS 2993	Yes	Yes	30/43/126
272	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Visual Examination	IS 2993	Yes	Yes	1
273	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Checking of Marking	IS 2993	Yes	Yes	1
274	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Checking of Dimensions	IS 2993	Yes	Yes	1
275	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Mechanical Tests	IS 2993	Yes	Yes	1
276	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Sealing Test	IS 2993	Yes	Yes	1
277	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Endurance Test	IS 2993	Yes	Yes	9/25/42/125
278	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Capacitance measurement	IS 2993	Yes	Yes	1
279	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Damp Heat Test	IS 2993	Yes	Yes	4/10/21/56
280	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Voltage Test between terminals	IS 2993	Yes	Yes	1
281	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Voltage Test between terminals & container	IS 2993	Yes	Yes	1
282	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Self - Healing Test	IS 2993	Yes	Yes	1
283	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 21 to 33 MFD	Destruction Test	IS 2993	No	yes	4
284	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Full Test	IS 2993	Yes	Yes	30/43/126
285	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Visual Examination	IS 2993	Yes	Yes	1
286	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Checking of Marking	IS 2993	Yes	Yes	1
287	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Checking of Dimensions	IS 2993	Yes	Yes	1
288	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Mechanical Tests	IS 2993	Yes	Yes	1
289	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Sealing Test	IS 2993	Yes	Yes	1
290	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Endurance Test	IS 2993	Yes	Yes	9/25/42/125
291	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Capacitance measurement	IS 2993	Yes	Yes	1
292	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Damp Heat Test	IS 2993	Yes	Yes	4/10/21/56
293	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Voltage Test between terminals	IS 2993	Yes	Yes	1
294	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Voltage Test between terminals & container	IS 2993	Yes	Yes	1
295	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Self - Healing Test	IS 2993	Yes	Yes	1
296	GHAZIABAD	ELECTRICAL TESTING	Capacitors from 34 to 42 MFD	Destruction Test	IS 2993	No	No	4
297	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Full Test	IS 374	Yes	Yes	20
298	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Air Delivery Test	IS 374	Yes	Yes	3
299	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Temperature Rise Test	IS 374	Yes	Yes	1
300	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Leakage Current Test	IS 374	Yes	Yes	1
301	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	High Voltage Test	IS 374	Yes	Yes	1
302	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Insulation Resistance Test	IS 374	Yes	Yes	1
303	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Starting Test	IS 374	Yes	Yes	1
304	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Fan Speed & Input	IS 374	Yes	Yes	1
305	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Earthing Connection	IS 374	Yes	Yes	1
306	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Protection against electric shocks for Reg	IS 374	Yes	Yes	1
307	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Moisture Resistance Test for Regulators	IS 374	Yes	Yes	2
308	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Mechanical Strength for Regulators	IS 374	Yes	Yes	1
309	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Suspension System	IS 374	Yes	Yes	1
310	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Creepage Distance & Clearances	IS 374	Yes	Yes	1
311	GHAZIABAD	ELECTRICAL TESTING	Electrical Ceiling Fan & Regulator	Mechanical Endurance Test for Regulators	IS 374	Yes	Yes	2
312	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Full Test	IS 2312	Yes	Yes	20

313	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Air Delivery Test	IS 2312	Yes	Yes	3
314	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Temperature Rise Test	IS 2312	Yes	Yes	1
315	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	A.C. Leakage Test	IS 2312	Yes	Yes	1
316	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	High Voltage Test	IS 2312	Yes	Yes	1
317	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Insulation Resistance Test	IS 2312	Yes	Yes	1
318	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Starting Test	IS 2312	Yes	Yes	1
319	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Fan Speed	IS 2312	Yes	Yes	1
320	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Earthing Continuity	IS 2312	Yes	Yes	1
321	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Moisture proofness for Regulators	IS 2312	Yes	Yes	2
322	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Power factor Test	IS 2312	Yes	Yes	1
323	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Mechanical Endurance Test for Regulators	IS 2312	Yes	Yes	2
324	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Test for Capacitor	IS 2312	Yes	Yes	1
325	GHAZIABAD	ELECTRICAL TESTING	Propeller Type A.C. Ventilating Fans (Ex. Fans)	Electrical Input	IS 2312	Yes	Yes	1
326	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Full Test	IS 10322(5/1)	Yes	Yes	30
327	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Visual Examination	IS 10322(5/1)	Yes	Yes	1
328	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Mechanical Strength	IS 10322(5/1)	Yes	Yes	1
329	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Endurance test and thermal test	IS 10322(5/1)	Yes	Yes	10
330	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Resistance to dust and moisture	IS 10322(5/1)	Yes	Yes	3
331	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Insulation Resistance and electric	IS 10322(5/1)	Yes	Yes	1
332	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Resistance to heat fire and tracking	IS 10322(5/1)	No	No	1
333	GHAZIABAD	ELECTRICAL TESTING	Fixed General Purpose Luminaires	Photometric test	IS 10322(5/1)	No	No	1
334	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Full Test	IS 10322(5/2)	Yes	Yes	30
335	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Visual Examination	IS 10322(5/2)	Yes	Yes	1
336	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Mechanical Strength	IS 10322(5/2)	Yes	Yes	1
337	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Endurance tests and thermal test	IS 10322(5/2)	Yes	Yes	10
338	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Resistance to dust and moisture	IS 10322(5/2)	Yes	Yes	3
339	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Insulation resistance & Electric Strength	IS 10322(5/2)	Yes	Yes	1
340	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Resistance to heat fire and tracking	IS 10322(5/2)	No	No	1
341	GHAZIABAD	ELECTRICAL TESTING	Recessed Type Luminaires	Photometric test	IS 10322(5/2)	No	No	1
342	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Full Test	IS 10322(5/3)	Yes	Yes	30
343	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Visual Examination	IS 10322(5/3)	Yes	Yes	1
344	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Protection against electric shock	IS 10322(5/3)	Yes	Yes	1
345	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Mechanical strength test	IS 10322(5/3)	Yes	Yes	1
346	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Endurance test and thermal test	IS 10322(5/3)	Yes	Yes	10
347	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Resistance to dust and moisture	IS 10322(5/3)	Yes	Yes	3
348	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Insulation resistance and electric	IS 10322(5/3)	Yes	Yes	1
349	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Resistance to heat fire and tracking	IS 10322(5/3)	No	No	1
350	GHAZIABAD	ELECTRICAL TESTING	Luminaires for Road & Street Lighting	Photometric test	IS 10322(5/3)	No	No	1
351	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Full Test	IS 10322(5/4)	Yes	Yes	30
352	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Visual Examination	IS 10322(5/4)	Yes	Yes	1
353	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Mechanical strength test	IS 10322(5/4)	Yes	Yes	1
354	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Endurance tests and thermal test	IS 10322(5/4)	Yes	Yes	10
355	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Resistance to dust and moisture	IS 10322(5/4)	Yes	Yes	3
356	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Insulation resistance and electric	IS 10322(5/4)	Yes	Yes	1
357	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Resistance to heat fire and tracking	IS 10322(5/4)	No	No	1
358	GHAZIABAD	ELECTRICAL TESTING	Portable General Purpose Luminaires	Photometric test	IS 10322(5/4)	No	No	1

359	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Full Test	IS 10322(5/5)	Yes	Yes	30
360	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Visual Examination	IS 10322(5/5)	Yes	Yes	1
361	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Mechanical strength test	IS 10322(5/5)	Yes	Yes	1
362	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Endurance test and thermal test	IS 10322(5/5)	Yes	Yes	10
363	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Resistance to dust and moisture	IS 10322(5/5)	Yes	Yes	3
364	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Insulation resistance and electric	IS 10322(5/5)	Yes	Yes	1
365	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Resistance to heat fire and tracking	IS 10322(5/5)	No	No	1
366	GHAZIABAD	ELECTRICAL TESTING	Flood Lighting Luminaires	Photometric test	IS 10322(5/5)	No	No	1
367	GHAZIABAD	ELECTRICAL TESTING	Ballast for FTL Lamps	Full Test	IS 1534	Yes	Yes	30
368	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Full Test	IS 371	No	No	20
369	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Marking	IS 371	No	No	1
370	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Dimensions	IS 371	No	No	1
371	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Accessibility of live parts	IS 371	No	No	1
372	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Provision of earthing	IS 371	No	No	1
373	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Terminals	IS 371	No	No	1
374	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Construction	IS 371	No	No	1
375	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Resistance to moisture & humidity	IS 371	No	No	2
376	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Insl. Resistance and electric strength	IS 371	No	No	1
377	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Temperature rise test	IS 371	No	No	1
378	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Mechanical strength test	IS 371	No	No	1
379	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Resistance to heat	IS 371	No	No	11
380	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Resistance to abnormal heat fire & tracking	IS 371	No	No	1
381	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Screws,current carrying parts & Connect	IS 371	No	No	1
382	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Creepage distance and clearance	IS 371	No	No	1
383	GHAZIABAD	ELECTRICAL TESTING	Ceiling Rose	Resistance to excessive residual stress	IS 371	No	No	1
384	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Full Test	IS 1258	No	No	20
385	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Rating	IS 1258	No	No	1
386	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Classifications	IS 1258	No	No	1
387	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Marking	IS 1258	No	No	1
388	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Checking of dimension	IS 1258	No	No	1
389	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Protection for earthing	IS 1258	No	No	1
390	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Terminals	IS 1258	No	No	1
391	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Provision for earthing	IS 1258	No	No	1
392	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Constructional requirements	IS 1258	No	No	1
393	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Switched lamp holders	IS 1258	No	No	1
394	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Moisture Resistance Test	IS 1258	No	No	2

395	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Mechanical strength test	IS 1258	No	No	1
396	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Screws, Current carrying parts & Connect.	IS 1258	No	No	1
397	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Creepage distance and clearance	IS 1258	No	No	1
398	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	General resistance to heat	IS 1258	No	No	11
399	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Resistance to heat fire and tracking	IS 1258	No	No	1
400	GHAZIABAD	ELECTRICAL TESTING	Bayonet Lamp Holders	Resistance to excessive residual stresses and to rusting	IS 1258	No	No	1
401	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Full Test	IS 3323	No	No	25
402	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Visual examination	IS 3323	No	No	1
403	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for accidental contact of live parts	IS 3323	No	No	1
404	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for screw terminals	IS 3323	No	No	1
405	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for mechanical strength	IS 3323	No	No	1
406	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Impact test	IS 3323	No	No	1
407	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Measurement of contact pressure or torque	IS 3323	No	No	1
408	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for moisture resistance	IS 3323	No	No	2
409	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Endurance test	IS 3323	No	No	2
410	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for performace	IS 3323	No	No	1
411	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for creepage distance & clearances	IS 3323	No	No	1
412	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Non-flammability test	IS 3323	No	No	1
413	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for Resistance to Corrosion	IS 3323	No	No	1
414	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for brittleness	IS 3323	No	No	1
415	GHAZIABAD	ELECTRICAL TESTING	Bi- Pin Lamp Holder	Test for heat resistance	IS 3323	No	No	1
416	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Full Test	IS 3324	No	No	30
417	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Visual examination	IS 3324	No	No	1
418	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Test for accidental contact of live parts	IS 3324	No	No	1
419	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Test for Sacrew Terminals	IS 3324	No	No	1
420	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Test for Mechanical strength	IS 3324	No	No	1
421	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Impact test	IS 3324	No	No	1
422	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Measurement of contact pressure or torque	IS 3324	No	No	1
423	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Moisture resistance test	IS 3324	No	No	3
424	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Endurance test	IS 3324	No	No	2
425	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Test for performances	IS 3324	No	No	2

426	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Test for creepage distances and clearances	IS 3324	No	No	1
427	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Non - flammability test	IS 3324	No	No	2
428	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Corrosion test	IS 3324	No	No	10
429	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Brittleness test	IS 3324	No	No	5
430	GHAZIABAD	ELECTRICAL TESTING	Holders for starters for Tubular	Test for heat resistance	IS 3324	No	No	10
431	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Full Test	IS 1293	Yes	Yes	30
432	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Rating	IS 1293	Yes	Yes	1
433	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Clasification	IS 1293	Yes	Yes	1
434	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Marking	IS 1293	Yes	Yes	1
435	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Checking of dimension	IS 1293	Yes	Yes	1
436	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Protection against electric shock	IS 1293	Yes	Yes	1
437	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Provision for earthing	IS 1293	Yes	Yes	1
438	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Terminals	IS 1293	Yes	Yes	1
439	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Const. Requirements of fixed socket outlet	IS 1293	Yes	Yes	1
440	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Const.for Plug & portable socket outlet	IS 1293	Yes	Yes	1
441	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Resistance to Ageing	IS 1293	Yes	Yes	11
442	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Insulation resistance and electric strength	IS 1293	Yes	Yes	1
443	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Operation of Earthing contacts	IS 1293	Yes	Yes	1
444	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Temperature rise test	IS 1293	Yes	Yes	1
445	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Markiing and Breaking capacity	IS 1293	Yes	Yes	1
446	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Normal operation test.	IS 1293	Yes	Yes	2
447	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Force necessary to withdraw the plug	IS 1293	Yes	Yes	1
448	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Flexible cables and their connection	IS 1293	Yes	Yes	1
449	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Mechanical strength test	IS 1293	Yes	Yes	1
450	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Resistance to heat	IS 1293	Yes	Yes	1
451	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Screws current carrying parts & connect.	IS 1293	Yes	Yes	1
452	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Creepage distance & clearances	IS 1293	Yes	Yes	1
453	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Resistance to abnormal heat fire & tracking	IS 1293	Yes	Yes	1
454	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 6 Amps 240 / 250 Volts	Resistance to rusting	IS 1293	Yes	Yes	1

455	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Full Test	IS 1293	Yes	Yes	30
456	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Rating	IS 1293	Yes	Yes	1
457	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Classification	IS 1293	Yes	Yes	1
458	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Marking	IS 1293	Yes	Yes	1
459	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Checking of dimension	IS 1293	Yes	Yes	1
460	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Protection against electric shock	IS 1293	Yes	Yes	1
461	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Provision for earthing	IS 1293	Yes	Yes	1
462	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Terminals	IS 1293	Yes	Yes	1
463	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Const. Requirements of fixed socket outlet	IS 1293	Yes	Yes	1
464	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Const.for Plug & portable socket outlet	IS 1293	Yes	Yes	1
465	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Resistance to Ageing	IS 1293	Yes	Yes	11
466	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Insulation resistance and electric strength	IS 1293	Yes	Yes	1
467	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Operation of Earthing contacts	IS 1293	Yes	Yes	1
468	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Temperature rise test	IS 1293	Yes	Yes	1
469	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Marking and Breaking capacity	IS 1293	Yes	Yes	1
470	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Normal operation test.	IS 1293	Yes	Yes	21
471	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Force necessary to withdraw the plug	IS 1293	Yes	Yes	1
472	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Flexible cables and their connection	IS 1293	Yes	Yes	1
473	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Mechanical strength test	IS 1293	Yes	Yes	1
474	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Resistance to heat	IS 1293	Yes	Yes	1
475	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Screws current carrying parts & connect.	IS 1293	Yes	Yes	1
476	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Creepage distance & clearances	IS 1293	Yes	Yes	1
477	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Resistance to abnormal heat fire & tracking	IS 1293	Yes	Yes	1
478	GHAZIABAD	ELECTRICAL TESTING	Plug & Socket 16 Amps 240 / 250 Volts	Resistance to rusting	IS 1293	Yes	Yes	1
479	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Full Test	IS 1293	Yes	Yes	30
480	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Rating	IS 1293	Yes	Yes	1
481	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Classification	IS 1293	Yes	Yes	1

482	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Marking	IS 1293	Yes	Yes	1
483	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Checking of dimension	IS 1293	Yes	Yes	1
484	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Protection against electric shock	IS 1293	Yes	Yes	1
485	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Provision for earthing	IS 1293	Yes	Yes	1
486	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Terminals	IS 1293	Yes	Yes	1
487	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Const. Requirements of fixed socket outlet	IS 1293	Yes	Yes	1
488	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Const.for Plug & portable socket outlet	IS 1293	Yes	Yes	1
489	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Resistance to Ageing	IS 1293	Yes	Yes	11
490	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Insulation resistance and electric strength	IS 1293	Yes	Yes	1
491	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Operation of Earthing contacts	IS 1293	Yes	Yes	1
492	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Temperature rise test	IS 1293	Yes	Yes	1
493	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Marking and Breaking capacity	IS 1293	Yes	Yes	1
494	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Normal operation test.	IS 1293	Yes	Yes	2
495	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Force necessary to withdraw the plug	IS 1293	Yes	Yes	1
496	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Flexible cables and their connection	IS 1293	Yes	Yes	1
497	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Mechanical strength test	IS 1293	Yes	Yes	1
498	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Resistance to heat	IS 1293	Yes	Yes	1
499	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Screws current carrying parts & connect.	IS 1293	Yes	Yes	1
500	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Creepage distance & clearances	IS 1293	Yes	Yes	1
501	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Resistance to abnormal heat fire & tracking	IS 1293	Yes	Yes	1
502	GHAZIABAD	ELECTRICAL TESTING	Socket Outlets 6A&16A, 240/250V	Resistance to rusting	IS 1293	Yes	Yes	1
503	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Full Test	IS 3854	Yes	Yes	30
504	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Rating	IS 3854	Yes	Yes	1
505	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Classifications	IS 3854	Yes	Yes	1
506	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Cheaking of dimensions	IS 3854	Yes	Yes	1
507	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Protection against electric shocks	IS 3854	Yes	Yes	1
508	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Provision for earthing	IS 3854	Yes	Yes	1
509	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Terminals	IS 3854	Yes	Yes	1

510	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Constructional requirements	IS 3854	Yes	Yes	1
511	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Mechanism	IS 3854	Yes	Yes	1
512	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Resistance to ageing to harmful ingress of water and to humidity	IS 3854	Yes	Yes	13
513	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Insl. Resistance and electric strength	IS 3854	Yes	Yes	1
514	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Temperature Rise test	IS 3854	Yes	Yes	1
515	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Making & Breaking capacity	IS 3854	Yes	Yes	1
516	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Normal operation	IS 3854	Yes	Yes	2
517	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Mechanical strength	IS 3854	Yes	Yes	1
518	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Resistance to heat	IS 3854	Yes	Yes	1
519	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Screws, current carrying parts & connect.	IS 3854	Yes	Yes	1
520	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Creepage distance & clearance	IS 3854	Yes	Yes	1
521	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Normal operation for fluo lamp circuit	IS 3854	Yes	Yes	1
522	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Resistance to abnormal heat and fire	IS 3854	Yes	Yes	1
523	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Resistances to tracking	IS 3854	Yes	Yes	1
524	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 6-10A, 240 / 250 Volts	Resistance to Rusting	IS 3854	Yes	Yes	1
525	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Full Test	IS 3854	Yes	Yes	30
526	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Rating	IS 3854	Yes	Yes	1
527	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Classifications	IS 3854	Yes	Yes	1
528	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Cheaking of dimensions	IS 3854	Yes	Yes	1
529	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Protection against electric shocks	IS 3854	Yes	Yes	1
530	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Provision for earthing	IS 3854	Yes	Yes	1
531	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Terminals	IS 3854	Yes	Yes	1
532	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Constructional requirements	IS 3854	Yes	Yes	1
533	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Mechanism	IS 3854	Yes	Yes	1
534	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Resistance to ageing to harmful ingress of water and to humidity	IS 3854	Yes	Yes	13
535	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Insl. Resistance and electric strength	IS 3854	Yes	Yes	1

536	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Temperature Rise test	IS 3854	Yes	Yes	1
537	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Making& Breaking capacity	IS 3854	Yes	Yes	1
538	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Normal operation	IS 3854	Yes	Yes	2
539	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Mechanical strength	IS 3854	Yes	Yes	1
540	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Resistance to heat	IS 3854	Yes	Yes	1
541	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Screws, current carrying parts & connect.	IS 3854	Yes	Yes	1
542	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Creepage distance & clearance	IS 3854	Yes	Yes	1
543	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Normal operation for fluo lamp circuit	IS 3854	Yes	Yes	1
544	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Resistance to abnormal heat and fire	IS 3854	Yes	Yes	1
545	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Resistances to tracking	IS 3854	Yes	Yes	1
546	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 16 A, 240 / 250 Volts	Resistance to Rusting	IS 3854	Yes	Yes	1
547	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Full Test	IS 3854	Yes	Yes	30
548	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Rating	IS 3854	Yes	Yes	1
549	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Classifications	IS 3854	Yes	Yes	1
550	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Cheaking of dimensions	IS 3854	Yes	Yes	1
551	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Protection against electric shocks	IS 3854	Yes	Yes	1
552	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Provision for earthing	IS 3854	Yes	Yes	1
553	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Terminals	IS 3854	Yes	Yes	1
554	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Constructional requirements	IS 3854	Yes	Yes	1
555	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Mechanism	IS 3854	Yes	Yes	1
556	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Resistance to ageing to harmful ingress of water and to humidity	IS 3854	Yes	Yes	13
557	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Insl. Resistance and electric strength	IS 3854	Yes	Yes	1
558	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Temperature Rise test	IS 3854	Yes	Yes	1
559	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Making& Breaking capacity	IS 3854	Yes	Yes	1
560	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Normal operation	IS 3854	Yes	Yes	2
561	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Mechanical strength	IS 3854	Yes	Yes	1

562	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Resistance to heat	IS 3854	Yes	Yes	1
563	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Screws, current carrying parts & connect.	IS 3854	Yes	Yes	1
564	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Creepage distance & clearance	IS 3854	Yes	Yes	1
565	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Normal operation for fluo lamp circuit	IS 3854	Yes	Yes	1
566	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Resistance to abnormal heat and fire	IS 3854	Yes	Yes	1
567	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Resistances to tracking	IS 3854	Yes	Yes	1
568	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 20 A, 240 / 250 Volts	Resistance to Rusting	IS 3854	Yes	Yes	1
569	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Full Test	IS 3854	Yes	Yes	30
570	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Rating	IS 3854	Yes	Yes	1
571	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Classifications	IS 3854	Yes	Yes	1
572	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Cheaking of dimensions	IS 3854	Yes	Yes	1
573	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Protection against electric shocks	IS 3854	Yes	Yes	1
574	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Provision for earthing	IS 3854	Yes	Yes	1
575	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Terminals	IS 3854	Yes	Yes	1
576	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Constructional requirements	IS 3854	Yes	Yes	1
577	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Mechanism	IS 3854	Yes	Yes	1
578	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Resistance to ageing to harmful ingress of water and to humidity	IS 3854	Yes	Yes	13
579	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Insl. Resistance and electric strength	IS 3854	Yes	Yes	1
580	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Temperature Rise test	IS 3854	Yes	Yes	1
581	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Making& Breaking capacity	IS 3854	Yes	Yes	1
582	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Normal operation	IS 3854	Yes	Yes	4
583	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Mechanical strength	IS 3854	Yes	Yes	1
584	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Resistance to heat	IS 3854	Yes	Yes	1
585	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Screws, current carrying parts & connect.	IS 3854	Yes	Yes	1
586	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Creepage distance & clearance	IS 3854	Yes	Yes	1
587	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Normal operation for fluo lamp circuit	IS 3854	Yes	Yes	1
588	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Resistance to abnormal heat and fire	IS 3854	Yes	Yes	1

589	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Resistances to tracking	IS 3854	Yes	Yes	1
590	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 25 A, 240 / 250 Volts	Resistance to Rusting	IS 3854	Yes	Yes	1
591	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Full Test	IS 3854	Yes	Yes	30
592	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Rating	IS 3854	Yes	Yes	1
593	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Classifications	IS 3854	Yes	Yes	1
594	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Cheaking of dimensions	IS 3854	Yes	Yes	1
595	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Protection against electric shocks	IS 3854	Yes	Yes	1
596	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Provision for earthing	IS 3854	Yes	Yes	1
597	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Terminals	IS 3854	Yes	Yes	1
598	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Constructional requirements	IS 3854	Yes	Yes	1
599	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Mechanism	IS 3854	Yes	Yes	1
600	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Resistance to ageing to harmful ingress of water and to humidity	IS 3854	Yes	Yes	13
601	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Insl. Resistance and electric strength	IS 3854	Yes	Yes	1
602	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Temperature Rise test	IS 3854	Yes	Yes	1
603	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Making & Breaking capacity	IS 3854	Yes	Yes	1
604	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Normal operation	IS 3854	Yes	Yes	4
605	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Mechanical strength	IS 3854	Yes	Yes	1
606	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Resistance to heat	IS 3854	Yes	Yes	1
607	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Screws, current carrying parts & connect.	IS 3854	Yes	Yes	1
608	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Creepage distance & clearance	IS 3854	Yes	Yes	1
609	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Normal operation for fluo lamp circuit	IS 3854	Yes	Yes	1
610	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Resistance to abnormal heat and fire	IS 3854	Yes	Yes	1
611	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Resistances to tracking	IS 3854	Yes	Yes	1
612	GHAZIABAD	ELECTRICAL TESTING	Domestic Switches 32 A, 240 / 250 Volts	Resistance to Rusting	IS 3854	Yes	Yes	1
613	GHAZIABAD	ELECTRICAL TESTING	11 KV (up to 100 KVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
614	GHAZIABAD	ELECTRICAL TESTING	11 KV (101 to 500 KVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
615	GHAZIABAD	ELECTRICAL TESTING	11 KV (501 to 1000 KVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3

616	GHAZIABAD	ELECTRICAL TESTING	H.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
617	GHAZIABAD	ELECTRICAL TESTING	L.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
618	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
619	GHAZIABAD	ELECTRICAL TESTING	H.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
620	GHAZIABAD	ELECTRICAL TESTING	L.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
621	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
622	GHAZIABAD	ELECTRICAL TESTING	H.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
623	GHAZIABAD	ELECTRICAL TESTING	L.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
624	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
625	GHAZIABAD	ELECTRICAL TESTING	132 KV (HV + LV)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
626	GHAZIABAD	ELECTRICAL TESTING	220 KV (HV + LV)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	4
627	GHAZIABAD	ELECTRICAL TESTING	11 KV (up to 100 KVA)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
628	GHAZIABAD	ELECTRICAL TESTING	11 KV (101 to 500 KVA)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
629	GHAZIABAD	ELECTRICAL TESTING	11 KV (501 to 1000 KVA)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
630	GHAZIABAD	ELECTRICAL TESTING	H.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
631	GHAZIABAD	ELECTRICAL TESTING	L.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
632	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
633	GHAZIABAD	ELECTRICAL TESTING	H.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
634	GHAZIABAD	ELECTRICAL TESTING	L.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
635	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
636	GHAZIABAD	ELECTRICAL TESTING	66 KV	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	No	No	3
637	GHAZIABAD	ELECTRICAL TESTING	H.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
638	GHAZIABAD	ELECTRICAL TESTING	L.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
639	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
640	GHAZIABAD	ELECTRICAL TESTING	132 KV (HV + LV)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
641	GHAZIABAD	ELECTRICAL TESTING	220 KV (HV + LV)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
642	GHAZIABAD	ELECTRICAL TESTING	11 KV (up to 100 KVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
643	GHAZIABAD	ELECTRICAL TESTING	11 KV (101 to 500 KVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
644	GHAZIABAD	ELECTRICAL TESTING	11 KV (501 to 1000 KVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3

645	GHAZIABAD	ELECTRICAL TESTING	33 KV (up to 1 MVA)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
646	GHAZIABAD	ELECTRICAL TESTING	H.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
647	GHAZIABAD	ELECTRICAL TESTING	L.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
648	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
649	GHAZIABAD	ELECTRICAL TESTING	H.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
650	GHAZIABAD	ELECTRICAL TESTING	L.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
651	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
652	GHAZIABAD	ELECTRICAL TESTING	H.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
653	GHAZIABAD	ELECTRICAL TESTING	L.V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
654	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
655	GHAZIABAD	ELECTRICAL TESTING	132 KV (HV + LV)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
656	GHAZIABAD	ELECTRICAL TESTING	220 KV (HV + LV)	1 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
657	GHAZIABAD	ELECTRICAL TESTING	11 KV (up to 100 KVA)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
658	GHAZIABAD	ELECTRICAL TESTING	11 KV (101 to 500 KVA)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
659	GHAZIABAD	ELECTRICAL TESTING	11 KV (501 to 1000 KVA)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
660	GHAZIABAD	ELECTRICAL TESTING	H.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
661	GHAZIABAD	ELECTRICAL TESTING	L.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
662	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	Yes	3
663	GHAZIABAD	ELECTRICAL TESTING	H.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
664	GHAZIABAD	ELECTRICAL TESTING	L.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
665	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
666	GHAZIABAD	ELECTRICAL TESTING	H.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
667	GHAZIABAD	ELECTRICAL TESTING	L.V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
668	GHAZIABAD	ELECTRICAL TESTING	H.V. + L. V.	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
669	GHAZIABAD	ELECTRICAL TESTING	132 KV (HV + LV)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
670	GHAZIABAD	ELECTRICAL TESTING	220 KV (HV + LV)	3 ϕ Test Fees (Non Chopped)	IS 2026 PT – III & IEC 60076	Yes	No	3
671	GHAZIABAD	ELECTRICAL TESTING	Multiple Chopped Test(600 Impulse Shots) on Current Transformer	CT/PT Impulse Test	IEC-61869-1	Yes	No	5
672	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	TYPE Test	IS 13703-1993	Yes	No	7
673	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Marking	IS 13703-1993	Yes	No	3

674	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Dimensions	IS 13703-1993	Yes	No	3
675	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Resistance	IS 13703-1993	Yes	No	3
676	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Temperature Rise	IS 13703-1993	Yes	No	3
677	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Non fusing current	IS 13703-1993	Yes	No	3
678	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Fusing current	IS 13703-1993	Yes	No	3
679	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Rated current test	IS 13703-1993	Yes	No	3
680	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Resistance to rusting	IS 13703-1993	Yes	No	4
681	GHAZIABAD	ELECTRICAL TESTING	Low voltage HRC FUSE LINK	Freedom from season Cracking	IS 13703-1993	Yes	No	4
682	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Complete Type Test	IS/IEC-60898	Yes	Yes	60
683	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
684	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
685	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	2
686	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	2
687	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
688	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	2
689	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	2
690	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 32 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	2
691	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Complete Type Test	IS/IEC-60898	Yes	Yes	60
692	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
693	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
694	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	2
695	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	2
696	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
697	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	2
698	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	2
699	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Single Pole-Rating upto 63 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	2
700	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Complete Type Test	IS/IEC-60898	Yes	Yes	60
701	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
702	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
703	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	2
704	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	2
705	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
706	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	2
707	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	2

708	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 32 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	2
709	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Complete Type Test	IS/IEC-60898	Yes	Yes	60
710	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
711	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
712	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	2
713	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	2
714	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
715	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	2
716	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	2
717	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Double Pole-Rating upto 63 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	2
718	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Complete Type Test	IS/IEC-60898	Yes	Yes	70
719	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
720	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
721	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	4
722	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	4
723	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
724	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	4
725	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	4
726	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 32 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	4
727	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Complete Type Test	IS/IEC-60898	Yes	Yes	70
728	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
729	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
730	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	2
731	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	2
732	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
733	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	2
734	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	2
735	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Three Pole-Rating upto 63 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	2
736	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Complete Type Test	IS/IEC-60898	Yes	Yes	60

737	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
738	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
739	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	4
740	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	4
741	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
742	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	4
743	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	4
744	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 32 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	4
745	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Complete Type Test	IS/IEC-60898	Yes	Yes	60
746	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence A	IS/IEC-60898	Yes	Yes	7
747	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence B	IS/IEC-60898	Yes	Yes	35
748	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence C1	IS/IEC-60898	Yes	Yes	4
749	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence C2	IS/IEC-60898	Yes	Yes	4
750	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence D0	IS/IEC-60898	Yes	Yes	10
751	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence D1	IS/IEC-60898	Yes	Yes	4
752	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence E1	IS/IEC-60898	Yes	Yes	4
753	GHAZIABAD	ELECTRICAL TESTING	MCB Test-Four Pole-Rating upto 63 A	Test Sequence E2	IS/IEC-60898	Yes	Yes	4
754	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 250A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
755	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 500A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
756	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 1000A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
757	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 1500A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
758	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 2000A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
759	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 2500A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4

760	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 3000A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
761	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 3500A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
762	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 4000A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
763	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 3500A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
764	GHAZIABAD	ELECTRICAL TESTING	Temperature - Rise test (250A - 4000A)for Inter connecting Bus Bars for AC voltage above 1kV upto and including 36kV as per IS :8084-1976(Reaffirmed - 2017)	Interconnecting Bus Bars for AC voltage above 1kV upto and including 36kV @ 4000A	Cl. 7.1.2 of IS: 8084 – 1976 (RA-2017)	Yes	No	4
765	GHAZIABAD	NDT	Radiographic examination of welded joints per runing 30 cm length or fraction there of per exposure (T= upto 25 mm)	Radiography Test	IS 1182	Yes	No	2
766	GHAZIABAD	NDT	Radiographic examination of castings and forgings per 900 sq.cm or a fraction there of per exposure T=upto 25 mm)	Radiography Test	IS 2595	Yes	No	2
767	GHAZIABAD	NDT	Radiographic examination of welded joints in steel pipes /tubes of 30 cm weld perimeter length or fraction there of per exposure	Radiography Test	IS 4853	Yes	No	2
768	GHAZIABAD	NDT	Interpretation of radiographs	Radiography Test	IS 7810	Yes	No	2
769	GHAZIABAD	NDT	MPI / LPI on welded joints per running meter of weld length or fraction there of	MPI/LPI Test	IS 3703/3658	No	No	2
770	GHAZIABAD	NDT	MPI / LPI on metals per 100 per sq. cm of area or fraction there of	MPI/LPI Test	IS 3703/3658	No	No	2
771	GHAZIABAD	NDT	Ultrasonic examination of metallic products per sq.meter of area or fraction there of	Ultrasonic Test	IS 4225	Yes	No	2
772	GHAZIABAD	NDT	Ultrasonic examination of weld per running length or fraction there of	Ultrasonic Test	IS 4260	Yes	No	2
773	GHAZIABAD	NDT	Ultrasonic examination of forgings or castings per cubic. meter of volume or fraction there of.	Ultrasonic Test	IS 8791/7666	Yes	No	2
774	GHAZIABAD	NDT	Ultrasonic examination of tubular metal products per sq.m of surface area or fraction there of	Ultrasonic Test	IS 6394	Yes	No	2

775	GHAZIABAD	NDT	Thickness gauging on metal products by ultrasonic method per sq. meter of surface area or fraction there of - 10 readings	Ultrasonic Test	IS 15435	Yes	No	2
776	GHAZIABAD	NDT	Metallography examination - Visual examination	Metallography Test	IS 7318	No	No	2
777	GHAZIABAD	NDT	Metallography examination - Visual examination with photograph	Metallography Test	IS 7318	No	No	2
778	GHAZIABAD	NDT	Metallography examination - Macro etch test	Metallography Test	IS 11371	Yes	No	2
779	GHAZIABAD	NDT	Metallography examination - Micro examination with out Micrograph	Metallography Test	IS 7739	Yes	No	3
780	GHAZIABAD	NDT	Metallography examination - Micro examination with Micrograph	Metallography Test	IS 7739	Yes	No	3
781	GHAZIABAD	NDT	Metallography examination - Case depth	Metallography Test	IS 6396	Yes	No	3
782	GHAZIABAD	NDT	Metallography examination - Coating thickness by microscopic method	Metallography Test	IS 3203	No	No	3
783	GHAZIABAD	NDT	Metallography examination - Coating thickness test by using coating thickness meter	Metallography Test	IS 6012	Yes	No	3
784	GHAZIABAD	NDT	Metallography examination - Grain sizing without heat treatment	Metallography Test	IS 4748	Yes	No	3
785	GHAZIABAD	NDT	Metallography examination - Grain sizing with heat treatment	Metallography Test	IS 4748	Yes	No	5
786	GHAZIABAD	NDT	Metallography examination upto size of 100 x 100 mm -sulphur print	Metallography Test	IS 12037	Yes	No	3
787	GHAZIABAD	NDT	Metallography examination - Micro hardness test	Metallography Test	IS 1501	No	No	3
788	GHAZIABAD	NDT	Metallography examination of Case hardening compound	Metallography Test	IS 1501	No	No	3
789	GHAZIABAD	NDT	Metalographic examination -Determination of inclusion rating	Metallography Test	IS 4163	Yes	No	3
790	GHAZIABAD	NDT	Metalographic examination-Failure investigation (minimum)	Metallography Test	Relevant	Yes	No	10
791	GHAZIABAD	NDT	Steel ingots with out chemical analysis	Full test without Chemical	IS 2830	Yes	Yes	8
792	GHAZIABAD	NDT	Steel ingots with chemical analysis	Full test	IS 2830	Yes	No	10
793	GHAZIABAD	NDT	Mechanical tests on welded joints - Bend test with out heat treatment	Bend test	IS 1599	Yes	No	5
794	GHAZIABAD	NDT	Mechanical tests on welded joints - Bend test with heat treatment	Bend test	IS 1599	Yes	No	6
795	GHAZIABAD	NDT	Mechanical test on welds - Hardness test	Hardness test	IS 1501	Yes	no	3
796	GHAZIABAD	NDT	Certification of welders - structural welder's test per position of welding (Non-x-ray quality) (Plate & electrodes not supplied by NTH)	Certification of welders	IS 7318 (pt-1)	No	No	8

797	GHAZIABAD	NDT	Certification of welders - Structural welder's test per position of welding (X-ray quality) (Plate & electrodes not supplied by NTH)	Certification of welders	IS 7318 (pt-1)	No	No	8
798	GHAZIABAD	NDT	Certification of welder per position of welding on Plate (Plate & electrodes not supplied by NTH)	Certification of welders	IBR - 1950	No	No	8
799	GHAZIABAD	NDT	Certification of welder's per position of welding on Pipe / Tube Metal Arc welding (Pipe & Tube & electrodes not supplied by NTH)	Certification of welders	IBR - 1950	No	No	8
800	GHAZIABAD	NDT	Certification of welder's per position of welding on Pipe / Tube Metal Arc welding with root run by GTAW (Pipe & Tube & electrodes not supplied by NTH)	Certification of welders	IBR - 1950	No	No	8
801	GHAZIABAD	NDT	Performance test (Plate & electrodes not supplied by NTH)	Certification of welders	ASME	Yes	No	8
802	GHAZIABAD	NDT	Welding procedure qualification record test with out longitudinal qualification (Plate & electrodes not supplied by nth)	PQR Test	ASME	Yes	No	10
803	GHAZIABAD	NDT	Welding procedure qualification record test with longitudinal qualification (Plate & electrodes not supplied by NTH)	PQR Test	ASME	Yes	No	10
804	GHAZIABAD	NDT	Approval test for welders to approve welding procedures (plate & electrodes not supplied by NTH)	Certification of welders	IS 7310	No	No	10
805	GHAZIABAD	NDT	Electrodes - Periodic test per size of electrodes at 0 deg. or room temp	Periodic test	IS 814	Yes	Yes	20
806	GHAZIABAD	NDT	Electrodes -periodic test per size of electrodes at below 0 deg temp	Periodic test	IS 814	Yes	Yes	20
807	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per size for ERXXXX Class	Full test-01 Size	IS 814	Yes	Yes	20
808	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per size for EBXXXXHJX Class	Full test-01 Size	IS 814	Yes	Yes	20
809	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per two sizes for ERXXXX Class	Full test-02 Size	IS 814	Yes	Yes	22
810	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per two sizes for EBXXXXHJX Class	Full test-02 Size	IS 814	Yes	Yes	22
811	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per three sizes for ERXXXX Class	Full test-03 Size	IS 814	Yes	Yes	22
812	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per three sizes for EBXXXXHJX Class	Full test-03 Size	IS 814	Yes	Yes	22
813	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per 04 sizes for ERXXXX Class	Full test-04 Size	IS 814	Yes	Yes	22
814	GHAZIABAD	NDT	Electrodes -All test as per IS 814 per 04 sizes for EBXXXXHJX Class	Full test-04 Size	IS 814	Yes	Yes	22

815	GHAZIABAD	NDT	Radiography with Weld plate preparation to check quality of welding electrodes	Tensile test	IS 814	Yes	Yes	2
816	GHAZIABAD	NDT	Tensile Test with Weld preparation to check quality of welding electrodes	Tensile test	IS 814	Yes	Yes	8
817	GHAZIABAD	NDT	Impact Test at room temp on full welded plate	Impact Test	IS 814	Yes	Yes	8
818	GHAZIABAD	NDT	Impact Test at sub zero temp on full welded plate	Impact Test	IS 814	Yes	yes	8
819	GHAZIABAD	NDT	Diffusible Hydrogen Test on welding electrodes	Diffusible Hydrogen Test	IS 814	Yes	Yes	8
820	GHAZIABAD	NDT	Metal Recovery Test on welding electrodes	Metal Recovery Test	IS 814	Yes	Yes	3
821	GHAZIABAD	NDT	Fracture Test on full welded joint 10:10 mm to 25 :25 mm and upto 150 mm long	Fracture test	BS	No	No	8
822	GHAZIABAD	NDT	Fracture Test on 50 mm long welded joint 10:10 mm to 25:25 mm	Fracture test	BS	No	No	8
823	GHAZIABAD	NDT	Low & Medium Alloy Steel Welding electrodes per size for E41-R-X, E41B-X	Full test-01 Size	IS 1395	Yes	No	22
824	GHAZIABAD	NDT	Low & Medium Alloy Steel Welding electrodes per size for E49C-X, E55C-X, E63C-X, E68C-X, E49R-X, E55R-X, E63R-X, E68R-X, E49-X	Full test-01 Size	IS 1395	Yes	No	22
825	GHAZIABAD	NDT	Low & Medium Alloy Steel Welding electrodes per size for E68B-X, E76B-X, E83B-X	Full test-01 Size	IS 1395	Yes	No	22
826	GHAZIABAD	NDT	Stainless Steel Welding Electrodes per size	Full test-01 Size	IS 5206	Yes	Yes	24
827	GHAZIABAD	NDT	DPT kit -Performance test with Ni-Cr panel	Full test	IRSM	No	No	5
828	GHAZIABAD	NDT	Tensile Test of weld on machined test specimen	Tensile test	IS 814	Yes	Yes	3
829	GHAZIABAD	NDT	Preparation of welding procedure specification (WPS) as per ASME Section IX	Full Test	ASME Section IX	No	No	10
830	GHAZIABAD	NDT	Metallography examination - Coating thickness test with PHOTOGRAPH	Metallography Test	IS 3203/6012	No	No	5
831	GHAZIABAD	NDT	Electrodes -Radiographic examination per prepared weld assembly	Radiography Test	IS 814	Yes	Yes	3
832	GHAZIABAD	NDT	Electrodes -All weld tensile test on prepared sample with heat treatment but with out welding charge	Tensile test	IS 814	Yes	Yes	5
833	GHAZIABAD	NDT	Electrodes - All weld tensile test specimen preparation charges	Tensile test	IS 814	Yes	Yes	3
834	GHAZIABAD	NDT	Electrodes - Diffusible hydrogen test	Diffusible Hydrogen Test	IS 814	Yes	Yes	5
835	GHAZIABAD	NDT	Electrodes -Accelerated storage stability test	Accelerated storage stability te	IRM-28	No	No	3
836	GHAZIABAD	NDT	Chemical analysis (05 element) with preparation of weld pad	Chemical analysis	IS 814	Yes	Yes	8

837	GHAZIABAD	NDT	Chemical analysis (09 element) with preparation of weld pad	Chemical analysis	IS 814	Yes	Yes	8
838	GHAZIABAD	RPPT	Paper	Substance (GSM)	IS 1060	Yes	No	1
839	GHAZIABAD	RPPT	Paper	Thickness	IS 1060	Yes	No	1
840	GHAZIABAD	RPPT	Paper	Bulk	IS 1060	Yes	No	1
841	GHAZIABAD	RPPT	Paper	Moisture content	IS 1060	Yes	No	2
842	GHAZIABAD	RPPT	Paper	PH Value	IS 1060	Yes	No	1
843	GHAZIABAD	RPPT	Paper	Ash Content	IS 1060	Yes	No	2
844	GHAZIABAD	RPPT	Paper	Tensile strength Machine/ cross direction	IS 1060	Yes	No	1
845	GHAZIABAD	RPPT	Paper	Bursting strength/burst factor	IS 1060	Yes	No	1
846	GHAZIABAD	RPPT	Paper	Folding Endurance	IS 1060	Yes	No	1
847	GHAZIABAD	RPPT	Paper	Tearing Resistance	IS 1060	Yes	No	1
848	GHAZIABAD	RPPT	Paper	Water penetration cobb test	IS 1060	Yes	No	1
849	GHAZIABAD	RPPT	Paper	water absorbency	IS 1060	Yes	No	1
850	GHAZIABAD	RPPT	Paper	Gloss	IS 1060	Yes	No	1
851	GHAZIABAD	RPPT	Paper	Opacity	IS 1060	Yes	No	1
852	GHAZIABAD	RPPT	Paper	Brightness	IS 1060	Yes	No	1
853	GHAZIABAD	RPPT	Paper	Stiffness	IS 1060	Yes	No	1
854	GHAZIABAD	RPPT	Paper	Wax Pick number	IS 1060	Yes	No	1
855	GHAZIABAD	RPPT	Paper	whiteness of paper	IS 1060	Yes	No	1
856	GHAZIABAD	RPPT	Paper	Smoothness/ porosity	IS 1060	Yes	No	1
857	GHAZIABAD	RPPT	Paper	Sensitised test for MICR/NON MICR-Cheque paper	IS 11087	Yes	No	14
858	GHAZIABAD	RPPT	Paper	Writing & Printing Paper - Full Test	IS 1848	Yes	No	14
859	GHAZIABAD	RPPT	Paper	Plain copier Paper - Full Test	IS 14490	Yes	No	14
860	GHAZIABAD	RPPT	Paper	Computer paper - Full Test	IS 12766	Yes	No	14
861	GHAZIABAD	RPPT	Textile	Dimensions general	IS 9	Yes	No	1
862	GHAZIABAD	RPPT	Textile	Dimensions specific	IS 9	Yes	No	1
863	GHAZIABAD	RPPT	Textile	Identification of fiber (By microscope/Chemical	Relevant	No	No	2
864	GHAZIABAD	RPPT	Textile	Impurity content (By hand cleaning)	Relevant	No	No	2
865	GHAZIABAD	RPPT	Textile	Composition of fibre (By chemical)	Relevant	No	No	1
866	GHAZIABAD	RPPT	Textile	Weight per square meter	IS 1964	Yes	No	1
867	GHAZIABAD	RPPT	Textile	Moisture content	Relevant	No	No	2
868	GHAZIABAD	RPPT	Textile	Absorbancy of cotton wool	Relevant	No	No	2
869	GHAZIABAD	RPPT	Textile	No of twist in fibre	Relevant	No	No	1
870	GHAZIABAD	RPPT	Textile	No of Nips	IS 684	No	No	1
871	GHAZIABAD	RPPT	Textile	Count No	Relevant	No	No	1
872	GHAZIABAD	RPPT	Textile	Ash Content	Relevant	No	No	2
873	GHAZIABAD	RPPT	Textile	Linear density	Relevant	No	No	2
874	GHAZIABAD	RPPT	Textile	Breaking strength and elongation of Fabric	IS 1969	Yes	No	1
875	GHAZIABAD	RPPT	Textile	Breaking strength and elongation of thread	Relevant	No	No	1
876	GHAZIABAD	RPPT	Textile	Bulk	Relevant	No	No	1
877	GHAZIABAD	RPPT	Textile	Alkali solubility	Relevant	No	No	2
878	GHAZIABAD	RPPT	Textile	Defects fabric by visual examination	Relevant	No	No	2
879	GHAZIABAD	RPPT	Textile	Bursting strength (normal/Wet)	Relevant	No	No	2
880	GHAZIABAD	RPPT	Textile	Tearing strength (Warp / weft)	Relevant	No	No	2
881	GHAZIABAD	RPPT	Textile	Water proofness test (Pressure Head, Test/Cone Test/Spray Test /Bag Test) Each test	Relevant	No	No	4
882	GHAZIABAD	RPPT	Textile	Bundesmann water repellency test	Relevant	No	No	2
883	GHAZIABAD	RPPT	Textile	Moisture regain test	Relevant	No	No	2
884	GHAZIABAD	RPPT	Textile	Relaxation shrinkage test	Relevant	No	No	2
885	GHAZIABAD	RPPT	Textile	Heat ageing test (changing breaking strength)	Relevant	No	No	2
886	GHAZIABAD	RPPT	Textile	Wool content / Fibre content	Relevant	No	No	2
887	GHAZIABAD	RPPT	Textile	weight of basic material of treated material	Relevant	No	No	2
888	GHAZIABAD	RPPT	Textile	Crease retention /resistance	Relevant	No	No	2
889	GHAZIABAD	RPPT	Textile	Resistance to cold upto -20 deg. C	Relevant	No	No	2
890	GHAZIABAD	RPPT	Textile	Adhesion between layer (warp and weft)normal condition	Relevant	No	No	2
891	GHAZIABAD	RPPT	Textile	Adhesion after treatment	Relevant	No	No	2

892	GHAZIABAD	RPPT	Textile	Resistant to coating (Rubbing/water/dilute/alkali/dilute acid/petrol) Eact test	Relevant	No	No	2
893	GHAZIABAD	RPPT	Textile	Glass/alkali content of glass fibre	Relevant	No	No	2
894	GHAZIABAD	RPPT	Textile	Breaking strength of seam joint	Relevant	No	No	2
895	GHAZIABAD	RPPT	Textile	Flexing resistance test	Relevant	No	No	2
896	GHAZIABAD	RPPT	Textile	Lea breaking strength	Relevant	No	No	1
897	GHAZIABAD	RPPT	Textile	Auto claving strength	Relevant	No	No	2
898	GHAZIABAD	RPPT	Textile	Test for freedom from corrosive chem.	Relevant	No	No	2
899	GHAZIABAD	RPPT	Textile	Humidity Resistance Test	Relevant	No	No	2
900	GHAZIABAD	RPPT	Textile	Tenacity of yarn / thread	Relevant	No	No	2
901	GHAZIABAD	RPPT	Textile	Resistace to heat and loss of coating on heating (100 degree for 24 hours)	Relevant	No	No	2
902	GHAZIABAD	RPPT	Textile	Density of silicon carbide	Relevant	No	No	2
903	GHAZIABAD	RPPT	Textile	Determination of weight of jute fabrics (oven dry weight + contract regaining %)	Relevant	No	No	2
904	GHAZIABAD	RPPT	Textile	Resistance to damage by flexing	Relevant	No	No	2
905	GHAZIABAD	RPPT	Textile	Water soluble matter	Relevant	No	No	2
906	GHAZIABAD	RPPT	Textile	Scouring loss	IS 1383	No	No	2
907	GHAZIABAD	RPPT	Textile	Colour fastness to Light	IS 686	No	No	2
908	GHAZIABAD	RPPT	Textile	Colour fastness to Washing	IS 765	No	No	2
909	GHAZIABAD	RPPT	Textile	Colour fastness to Rubbing	IS 766	No	No	2
910	GHAZIABAD	RPPT	Textile	Colour fastness to Dry cleaning	IS 792	No	No	2
911	GHAZIABAD	RPPT	Textile	Colour fastness to Organic slovent	IS 792	No	No	2
912	GHAZIABAD	RPPT	Textile	Colour fastness to Perspiration	Relevant	No	No	2
913	GHAZIABAD	RPPT	Textile	chloride/sulphate of textile	Relevant	No	No	2
914	GHAZIABAD	RPPT	Textile	paraffine wax content of tarpauline	Relevant	No	No	2
915	GHAZIABAD	RPPT	Textile	pH value of aqueous extract	IS 1383	No	No	1
916	GHAZIABAD	RPPT	Textile	Nature of weave		No	No	1
917	GHAZIABAD	RPPT	Textile	Ends & picks	IS 1963	Yes	No	1
918	GHAZIABAD	RPPT	Textile	Resistance to various chemicals (for each chemical)	Relevant	No	No	2
919	GHAZIABAD	RPPT	Textile	Proofing content	Relevant	No	No	2
920	GHAZIABAD	RPPT	Textile	Pilling Test	Relevant	No	No	2
921	GHAZIABAD	RPPT	Textile	Polyester blend suiting - Full test	IS 11248	No	No	14
922	GHAZIABAD	RPPT	Textile	Polyester cotton blended sari - Full test	IS 11814	No	No	14
923	GHAZIABAD	RPPT	Textile	Handloom cotton duries - Full test	IS 1450	No	No	14
924	GHAZIABAD	RPPT	Textile	Dusuti cotton khadi - Full test	IS 3770	No	No	14
925	GHAZIABAD	RPPT	Textile	Wool cotton vest - Full test	IS 3330	No	No	14
926	GHAZIABAD	RPPT	Textile	Cotton mosquito net - Full test	IS 1143	No	No	14
927	GHAZIABAD	RPPT	Textile	Cotton cellular shirting - Full test	IS 1144	No	No	14
928	GHAZIABAD	RPPT	Textile	Vinyl coated fabric - Full test	IS 1259	No	No	14
929	GHAZIABAD	RPPT	Textile	Cotton tape niwar - Full test	IS 1895	No	No	14
930	GHAZIABAD	RPPT	Textile	Cotton duck -Full test	IS 1422	No	No	14
931	GHAZIABAD	RPPT	Textile	Tarpauline - Full test	IS 2089	No	No	14
932	GHAZIABAD	RPPT	Rubber / Plastic	Dimensions general	IS 12235	Yes	YES	1
933	GHAZIABAD	RPPT	Rubber / Plastic	Dimensions specific		YES	YES	1
934	GHAZIABAD	RPPT	Rubber / Plastic	Density /specific gravity	IS 12235	yes	YES	2
935	GHAZIABAD	RPPT	Rubber / Plastic	Hardness normal condition	IS 12235	Yes	Yes	1
936	GHAZIABAD	RPPT	Rubber / Plastic	Hardness After ageing	IS 12235	Yes	Yes	2
937	GHAZIABAD	RPPT	Rubber / Plastic	Tensile strength elongation Before ageing	IS 3400	Yes	Yes	1
938	GHAZIABAD	RPPT	Rubber / Plastic	Tensile strength elongation after ageing	IS 3400	Yes	Yes	3
939	GHAZIABAD	RPPT	Rubber / Plastic	Adhesion of Rubber by textile fabrics	Relevant	No	No	2
940	GHAZIABAD	RPPT	Rubber / Plastic	Compression set at normal temperature	Relevant	No	No	1
941	GHAZIABAD	RPPT	Rubber / Plastic	Compression set at high temperature	Relevant	No	No	2
942	GHAZIABAD	RPPT	Rubber / Plastic	Compression test (load required to compress	Relevant	No	No	2
943	GHAZIABAD	RPPT	Rubber / Plastic	Tension set at normal condition	Relevant	No	No	2
944	GHAZIABAD	RPPT	Rubber / Plastic	Tension set at after ageing	Relevant	No	No	4
945	GHAZIABAD	RPPT	Rubber / Plastic	Cross breaking strogth in each direction	Relevant	No	No	2
946	GHAZIABAD	RPPT	Rubber / Plastic	Impact strength Izod/charpy(Across/ along)	Relevant	No	No	2

947	GHAZIABAD	RPPT	Rubber / Plastic	Impact of polythene film	Relevant	No	No	2
948	GHAZIABAD	RPPT	Rubber / Plastic	Tear strength (along /across)	Relevant	No	No	2
949	GHAZIABAD	RPPT	Rubber / Plastic	Tear strength (crescent test)at 100 C	Relevant	No	No	2
950	GHAZIABAD	RPPT	Rubber / Plastic	Vicat softening point	IS 12235	Yes	yes	1
951	GHAZIABAD	RPPT	Rubber / Plastic	Melt flow index	IS 2530	Yes	Yes	1
952	GHAZIABAD	RPPT	Rubber / Plastic	Meling point of nylon	Relevant	Yes	Yes	1
953	GHAZIABAD	RPPT	Rubber / Plastic	Inflamability/fire resistance	Relevant	No	No	2
954	GHAZIABAD	RPPT	Rubber / Plastic	Flame resisitant	Relevant	No	No	2
955	GHAZIABAD	RPPT	Rubber / Plastic	Plastic yield of ebonite	Relevant	No	No	—
956	GHAZIABAD	RPPT	Rubber / Plastic	Reversion test of pipe	IS 12235	Yes	yes	1
957	GHAZIABAD	RPPT	Rubber / Plastic	Dimensions stability at higher temper.	Relevant	No	No	2
958	GHAZIABAD	RPPT	Rubber / Plastic	Coefficient of friction /slip	Relevant	No	No	2
959	GHAZIABAD	RPPT	Rubber / Plastic	Hydraulic test (Burst/proof/leakage) at ambient temperature each test	Relevant	Yes	yes	48 Hour,1000 Hour
960	GHAZIABAD	RPPT	Rubber / Plastic	Water absorption test at Ambient temperature (weight or volume)	IS 15058	No	No	7
961	GHAZIABAD	RPPT	Rubber / Plastic	Water absorption test at high temp (up to 7)	IS 15058	No	No	7
962	GHAZIABAD	RPPT	Rubber / Plastic	Water absorption test at high temperature (more than 7)	IS 15058	No	No	14
963	GHAZIABAD	RPPT	Rubber / Plastic	Shear strength	Relevant	No	No	1
964	GHAZIABAD	RPPT	Rubber / Plastic	Resistance to sulphuric acid for PVC	Relevant	Yes	yes	2
965	GHAZIABAD	RPPT	Rubber / Plastic	Effect on water of PVC pipe	Relevant	Yes	yes	7
966	GHAZIABAD	RPPT	Rubber / Plastic	Opacity test	Relevant	Yes	yes	1
967	GHAZIABAD	RPPT	Rubber / Plastic	Water vapour permeability testr	Relevant	No	No	7
968	GHAZIABAD	RPPT	Rubber / Plastic	Hydraulic pressure test	IS 4985	Yes	yes	48 hour/1000 hour
969	GHAZIABAD	RPPT	Rubber / Plastic	Closure leakage test	Relevant	No	No	7
970	GHAZIABAD	RPPT	Rubber / Plastic	Shrinkage in air oven	IS 4984	Yes	yes	1
971	GHAZIABAD	RPPT	Rubber / Plastic	Cold resistance test	IS 4985	Yes	yes	2
972	GHAZIABAD	RPPT	Rubber / Plastic	Flexibility test of pvc tiles /sheets	Relevant	No	No	14
973	GHAZIABAD	RPPT	Rubber / Plastic	Moisture movement for PVC flooring	Relevant	No	No	14
974	GHAZIABAD	RPPT	Rubber / Plastic	Heat ageing at exudation for PVC floring	Relevant	No	No	14
975	GHAZIABAD	RPPT	Rubber / Plastic	Impact test for tank	Relevant	No	No	14
976	GHAZIABAD	RPPT	Rubber / Plastic	Gloss of polythene film	Relevant	No	No	2
977	GHAZIABAD	RPPT	Rubber / Plastic	Over all migration test	IS 12235	Yes	yes	14
978	GHAZIABAD	RPPT	Rubber / Plastic	Full thickness tensile strength (Warp and weft normal condition)	Relevant	No	No	7
979	GHAZIABAD	RPPT	Rubber / Plastic	Full thickness elongation at break	Relevant	No	No	7
980	GHAZIABAD	RPPT	Rubber / Plastic	Leak test for P.E. pauch	Relevant	No	No	7
981	GHAZIABAD	RPPT	Rubber / Plastic	Drop test for P.E. Pauch	Relevant	No	No	7
982	GHAZIABAD	RPPT	Rubber / Plastic	Visual examination	Relevant	No	No	1
983	GHAZIABAD	RPPT	Rubber / Plastic	Ovality	IS 4985	Yes	yes	1
984	GHAZIABAD	RPPT	Rubber / Plastic	Collapse	IS 9537	No	No	2
985	GHAZIABAD	RPPT	Rubber / Plastic	Flexural Test	Relevant	No	No	2
986	GHAZIABAD	RPPT	Rubber / Plastic	Net capacity	Relevant	No	No	1
987	GHAZIABAD	RPPT	Rubber / Plastic	Gross capacity	Relevant	No	No	1
988	GHAZIABAD	RPPT	Rubber / Plastic	Drop test at normal temp.	Relevant	No	No	1
989	GHAZIABAD	RPPT	Rubber / Plastic	Drop test at low temp.	Relevant	No	No	2
990	GHAZIABAD	RPPT	Rubber / Plastic	Effect of chemical of hose	Relevant	No	No	7
991	GHAZIABAD	RPPT	Rubber / Plastic	Effect of liquid of hose	Relevant	No	No	7
992	GHAZIABAD	RPPT	Rubber / Plastic	Effect of alkali (7) weight loss	IS 15058	No	No	8
993	GHAZIABAD	RPPT	Rubber / Plastic	Effect of alkali (7) hardness change	IS 15058	No	No	8
994	GHAZIABAD	RPPT	Rubber / Plastic	Effect of alkali (28 days) weight loss	IS 15058	No	No	29
995	GHAZIABAD	RPPT	Rubber / Plastic	Effect of alkali (28 days) dimensional change	IS 15058	No	No	29
996	GHAZIABAD	RPPT	Rubber / Plastic	Conduit pipe - Full test	IS 9537	No	No	14
997	GHAZIABAD	RPPT	Rubber / Plastic	Low density polythene film - Full test,	IS 2508	No	No	14
998	GHAZIABAD	RPPT	Rubber / Plastic	P.U. Foam - Full test	IS 7888	No	No	14
999	GHAZIABAD	RPPT	Rubber / Plastic	Insulating mat - Full test except extreme low temp.	IS 15652	No	No	10
1000	GHAZIABAD	RPPT	Rubber / Plastic	Unbacked flexible PVC flooring - Full test,	IS 3462	No	No	10
1001	GHAZIABAD	RPPT	Rubber / Plastic	paint brush - Full test,	IS 384	No	No	14

1002	GHAZIABAD	RPPT	Rubber / Plastic	PVC water stop - Full test,	IS 12200	No	No	30
1003	GHAZIABAD	RPPT	Rubber / Plastic	Unplastisized PVC pipe -Full test	IS 4985	Yes	yes	14
1004	GHAZIABAD	RPPT	Rubber / Plastic	Gunny bag - Full test	IS 1943	No	No	7
1005	GHAZIABAD	RPPT	Rubber / Plastic	Synthetic plastic slide fastner - Full test	IS 14181	No	No	7
1006	GHAZIABAD	RPPT	Rubber / Plastic	Water storage tank - Full test,	IS 12701	No	No	14
1007	GHAZIABAD	RPPT	Bitumen felt	Weight /unit area	Relevant	No	No	1
1008	GHAZIABAD	RPPT	Bitumen felt	Softening point of bitumen	Relevant	No	No	2
1009	GHAZIABAD	RPPT	Bitumen felt	Water absorption test	Relevant	No	No	7
1010	GHAZIABAD	RPPT	Bitumen felt	Compression test (load required to	Relevant	No	No	2
1011	GHAZIABAD	RPPT	Leather	Moisture content	Relevant	No	No	2
1012	GHAZIABAD	RPPT	Leather	Breaking strength of lace	Relevant	No	No	1
1013	GHAZIABAD	RPPT	Leather	Leg height	Relevant	No	No	1
1014	GHAZIABAD	RPPT	Leather	Length of lace	Relevant	No	No	1
1015	GHAZIABAD	RPPT	Leather	HDPE pipes(Full tests)	IS 4984	yes	yes	14
1016	GHAZIABAD	RPPT	Non Metal Helmet for Police force	UPVC pipes for upto 2 samples of pipe diameter upto 315 mm	IS 4985	Yes	yes	14
1017	GHAZIABAD	RPPT	Non Metal Helmet for Police force	UPVC pipes for pipe diameter above 315 mm	IS 4985	Yes	yes	14
1018	GHAZIABAD	Chemical	Metal & Alloys	Si-Bronze, Cu- Nickel	IS 1028	No	No	5
1019	GHAZIABAD	Chemical	Metal & Alloys	Aluminium Bronze, Phosphorus Bronze	IS 7811, 305	No	No	5
1020	GHAZIABAD	Chemical	Metal & Alloys	Copper Alloys Complete Testing	IS 191	No	No	5
1021	GHAZIABAD	Chemical	Metal & Alloys	Copper Alloys Copper Testing	IS 192	Yes	Yes	5
1022	GHAZIABAD	Chemical	Metal & Alloys	Type Metals , Solders, White Metals, Babbit matels, Wood's alloy up to 7 elements	IS 25, 193, 1357	No	No	7
1023	GHAZIABAD	Chemical	Metal & Alloys	INDIVIDUAL ELEMENTS	Do	Yes	No	5
1024	GHAZIABAD	Chemical	Metal & Alloys	Aluminium Metals & ALLOYS per set of 7 elements	IS 21, 737,617	Yes	No	5
1025	GHAZIABAD	Chemical	Metal & Alloys	INDIVIDUAL ELEMENTS	Do	Yes	No	2
1026	GHAZIABAD	Chemical	Metal & Alloys	Zinc & Zinc Alloy	IS 209	No	No	5
1027	GHAZIABAD	Chemical	Metal & Alloys	Nickel Metal	IS 1958	No	No	5
1028	GHAZIABAD	Chemical	Metal & Alloys	Carbon Steel-5 element	IS 2062	Yes	Yes	5
1029	GHAZIABAD	Chemical	Metal & Alloys	Carbon Steel with micro elements	IS 2062	Yes	Yes	5
1030	GHAZIABAD	Chemical	Metal & Alloys	HSDS Bar (C,S,P, & S+P)	IS 1786	Yes	Yes	5
1031	GHAZIABAD	Chemical	Metal & Alloys	HSDS Bar with micro-alloying elements	IS 1786	Yes	Yes	5
1032	GHAZIABAD	Chemical	Metal & Alloys	Nitrogen in steel Products	IS 2062	Yes	Yes	3
1033	GHAZIABAD	Chemical	Metal & Alloys	Stainless Steel & Tool Steel	Relevant	Yes	No	5
1034	GHAZIABAD	Chemical	Metal & Alloys	Ferrous & Non Ferrous, Ores, Minerals & Alloys complete analysis	Relevant	No	No	7
1035	GHAZIABAD	Chemical	Metal & Alloys	OTHER INDIVIDUAL ELEMENTS pertaining to Ferrous & Non Ferrous, Ores, Minerals & Alloys	Relevant	No	No	7

1036	GHAZIABAD	Chemical	Metal & Alloys	M.S.Welding Electrode(5 Elements Only)	IS 2879	Yes	Yes	5
1037	GHAZIABAD	Chemical	Metal & Alloys	M.S.Welding Electrode(8 Elements or more)	IS 2879	Yes	Yes	5
1038	GHAZIABAD	Chemical	Metal & Alloys	Anodic Coating on Aluminium ALLOY	IS 5523	No	No	5
1039	GHAZIABAD	Chemical	Metal & Alloys	Galvanization (Mass & Uniformity of zinc coating)	Relevant	Yes	Yes	5
1040	GHAZIABAD	Chemical	Metal & Alloys	Elements (Ferrous &non-ferrous) by OES Method Complete analysis upto 5-element. (each additional element Rs.500/-)	Relevant	Yes	Yes	7
1041	GHAZIABAD	Chemical	Metal & Alloys	Elements (Ferrous &non-ferrous) by OES Method per Individual element	Relevant	Yes	Yes	7
1042	GHAZIABAD	Chemical	Metal & Alloys	Copper	Relevant	Yes	No	7
1043	GHAZIABAD	Chemical	Metal & Alloys	Ash	Relevant	No	No	3
1044	GHAZIABAD	Chemical	Building Materials	Cement all type	IS 269/8112	Yes	Yes	7
1045	GHAZIABAD	Chemical	Building Materials	Concrete mixing ratio / cement mortar/	IS 1489/	No	No	10
1046	GHAZIABAD	Chemical	Building Materials	Deleterious material	IS 3812	No	No	5
1047	GHAZIABAD	Chemical	Building Materials	Deleterious materials	Relevant	No	No	5
1048	GHAZIABAD	Chemical	Building Materials	Chloride content ,	Relevant	Yes	Yes	2
1049	GHAZIABAD	Chemical	Building Materials	Identification of Adhesive	Relevant	No	No	5
1050	GHAZIABAD	Chemical	Building Materials	Preservative in wood	Relevant	Yes	Yes	15
1051	GHAZIABAD	Chemical	Building Materials	Lime & Lime stone (chemical tests)	Relevant	No	No	15
1052	GHAZIABAD	Chemical	Building Materials	Cement Concrete	ASTM	No	No	10
1053	GHAZIABAD	Chemical	Building Materials	Bleaching Powder	IS 1065	No	No	10
1054	GHAZIABAD	Chemical	Building Materials	Fly Ash	IS 3812	Yes	Yes	40
1055	GHAZIABAD	Chemical	Building Materials	Clay, Fire Clay, Soil, Refractory Material	Relevant	No	No	10
1056	GHAZIABAD	Chemical	Building Materials	Sand General Chemical Analysis	IS 383, 2386	No	No	7
1057	GHAZIABAD	Chemical	Building Materials	Bentonite (For chemical analysis only)	IS 6187	No	No	10
1058	GHAZIABAD	Chemical	Building Materials	Acid & Alkali Resistance in Building Materials	IS 651	No	No	5
1059	GHAZIABAD	Chemical	Building Materials	Estimation of Alkalies (Sodium & Potassium Oxide) water soluble	Relevant	Yes	Yes	5
1060	GHAZIABAD	Chemical	Building Materials	Estimation of Alkalies (Sodium & Potassium Oxide) silicate materials	Relevant	Yes	Yes	5

1061	GHAZIABAD	Chemical	Building Materials	Determination of fine dust, fine silt & clay	IS 2116	No	No	10
1062	GHAZIABAD	Chemical	Building Materials	Admixture	IS 9103	Yes	No	10
1063	GHAZIABAD	Chemical	General Chemicals	Alumina Ferric	Relevant	No	No	15
1064	GHAZIABAD	Chemical	General Chemicals	Hydrochloric Acid	Relevant	No	No	15
1065	GHAZIABAD	Chemical	General Chemicals	Sulphuric Acid	IS 299	No	No	15
1066	GHAZIABAD	Chemical	General Chemicals	Boric Acid	IS 265	No	No	15
1067	GHAZIABAD	Chemical	General Chemicals	Nitric Acid	IS 266	No	No	15
1068	GHAZIABAD	Chemical	General Chemicals	Ammonium Sulphate	IS 263	No	No	15
1069	GHAZIABAD	Chemical	General Chemicals	Ammonium Nitrate	IS 264	No	No	15
1070	GHAZIABAD	Chemical	General Chemicals	Calcium Caronate/Chloride	Relevant	No	No	15
1071	GHAZIABAD	Chemical	General Chemicals	Calcium Hydroxide	Relevant	No	No	15
1072	GHAZIABAD	Chemical	General Chemicals	Calcium Sulphate	Relevant	No	No	15
1073	GHAZIABAD	Chemical	General Chemicals	Sodium Hydroxide	Relevant	No	No	15
1074	GHAZIABAD	Chemical	General Chemicals	Sodium Chloride	Relevant	No	No	15
1075	GHAZIABAD	Chemical	General Chemicals	Copper Sulphate	IS 252	No	No	15
1076	GHAZIABAD	Chemical	General Chemicals	Magnesium Chloride	Relevant	No	No	15
1077	GHAZIABAD	Chemical	General Chemicals	Potassium Bromide	Relevant	No	No	15
1078	GHAZIABAD	Chemical	General Chemicals	Soda Lime	Relevant	No	No	15
1079	GHAZIABAD	Chemical	General Chemicals	Sodium Bicarbonate/ Carbonate	Relevant	No	No	15
1080	GHAZIABAD	Chemical	General Chemicals	Sodium Sulphate	IS 5321	No	No	15
1081	GHAZIABAD	Chemical	General Chemicals	Sodium Hypochlorite	Relevant	No	No	15
1082	GHAZIABAD	Chemical	General Chemicals	Soda Ash	Relevant	No	No	10
1083	GHAZIABAD	Chemical	WATER & DISINFECTANT	Water for construction use Chemical Tests	IS 456	Yes	Yes	7
1084	GHAZIABAD	Chemical	WATER & DISINFECTANT	Drinking Water	IS 10500	Yes	No	12
1085	GHAZIABAD	Chemical	WATER & DISINFECTANT	Water Bacteriological Examination (Coliform organism)	IS 10500	Yes	No	4
1086	GHAZIABAD	Chemical	WATER & DISINFECTANT	Water for Marine Boilers	IS 1813	No	No	12
1087	GHAZIABAD	Chemical	WATER & DISINFECTANT	Water for Swimming Pools	IS 3328	No	No	12
1088	GHAZIABAD	Chemical	WATER & DISINFECTANT	Industrial Effluent Water up to 6 Test	IS 2490 P-1	No	No	12
1089	GHAZIABAD	Chemical	WATER & DISINFECTANT	Industrial Effluent inorganic/organic elements/ Compounds (Qualitative/ Quant.)	Relevant	No	No	12
1090	GHAZIABAD	Chemical	WATER & DISINFECTANT	BOD in effluent water	Relevant	No	No	5
1091	GHAZIABAD	Chemical	WATER & DISINFECTANT	COD in effluent water	Relevant	No	No	5
1092	GHAZIABAD	Chemical	WATER & DISINFECTANT	Packaged Drinking Water (Excluding residual PCB,PAH & Radio active substance)	IS 14528	No	No	12
1093	GHAZIABAD	Chemical	WATER & DISINFECTANT	Do (Including Pesticides)	IS 14528	No	No	12
1094	GHAZIABAD	Chemical	WATER & DISINFECTANT	Do (Including Pesticides, PAH,PCB)	IS 14528	No	No	12
1095	GHAZIABAD	Chemical	WATER & DISINFECTANT	Water for industrial cooling system	IS 8188	No	No	12
1096	GHAZIABAD	Chemical	WATER & DISINFECTANT	Water Filter(UV System)	Relevant	No	No	12

1097	GHAZIABAD	Chemical	FERTILIZER	Ammonium Phosphate Sulphate Granular	IS 5407	No	No	12
1098	GHAZIABAD	Chemical	FERTILIZER	Ammonium Phosphate Sulphate	IS 4830	No	No	12
1099	GHAZIABAD	Chemical	FERTILIZER	Ammonium Phosphate Sulphate Nitrate	FCO	Yes	No	12
1100	GHAZIABAD	Chemical	FERTILIZER	Bone Meal(RAW)	IS 853	No	No	10
1101	GHAZIABAD	Chemical	FERTILIZER	Determination of Nitrogen, Phosphorus, Trace Elements, Potash, each	IS 6092	No	No	12
1102	GHAZIABAD	Chemical	FERTILIZER	Determination Potash	IS 6092	No	No	5
1103	GHAZIABAD	Chemical	FERTILIZER	Determination of Impurities	IS 6092	No	No	5
1104	GHAZIABAD	Chemical	FERTILIZER	Super Phosphate	IS 294	No	No	7
1105	GHAZIABAD	Chemical	FERTILIZER	Urea	IS 5406	No	No	7
1106	GHAZIABAD	Chemical	FERTILIZER	Urea Ammonium Phosphate	FCO	No	No	7
1107	GHAZIABAD	Chemical	FERTILIZER	Individual element analysis in fertilizer or Chemical	Relevant	Yes	No	3
1108	GHAZIABAD	Chemical	INDUSTRIAL GASES	Dissolved Acetylene	IS 308	No	No	5
1109	GHAZIABAD	Chemical	INDUSTRIAL GASES	Compressed Oxygen	IS 309	No	No	5
1110	GHAZIABAD	Chemical	PAINTS & ENAMELS	Titanium Di oxide anatase for paints	IS 411	No	No	10
1111	GHAZIABAD	Chemical	PAINTS & ENAMELS	Putty for Window	IS 419	No	No	15
1112	GHAZIABAD	Chemical	PAINTS & ENAMELS	Dry Distemper	IS 427	No	No	15
1113	GHAZIABAD	Chemical	PAINTS & ENAMELS	Washable Distemper	IS 428	No	No	15
1114	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Yellow ochere	IS 1232	No	No	15
1115	GHAZIABAD	Chemical	PAINTS & ENAMELS	Anti corrosive paints for Ship's bottoms	IS 1404	No	No	15
1116	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Zinc Chrome priming	IS 105, 1874	No	No	15
1117	GHAZIABAD	Chemical	PAINTS & ENAMELS	Red Lead priming	IS 102	No	No	15
1118	GHAZIABAD	Chemical	PAINTS & ENAMELS	White Lead Paint	IS103	No	No	15
1119	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Zinc Chrome Primer	IS 104	No	No	15
1120	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Red oxide Zinc Chrome priming	IS 2074	Yes	No	15
1121	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Grey filler for Enamels	IS 110	No	No	15
1122	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint BR. Matt/EGG Shell flat FG. Int.	IS 137	No	No	15
1123	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint BR. Semi Gloss	IS 123	No	No	15
1124	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint marking for packages	IS 138	No	No	15
1125	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Bituminous black	IS 158	No	No	20
1126	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint for road marking	IS 164	No	No	40
1127	GHAZIABAD	Chemical	PAINTS & ENAMELS	Aluminium Paints	IS 2339	No	No	20

1128	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint air drying semi gloss	IS168	No	No	40
1129	GHAZIABAD	Chemical	PAINTS & ENAMELS	Enamel Interior Undercoating	IS 133	No	No	20
1130	GHAZIABAD	Chemical	PAINTS & ENAMELS	Enamel Interior Finishing	IS 133	No	No	20
1131	GHAZIABAD	Chemical	PAINTS & ENAMELS	Varnish for Aluminium paints	IS 642	No	No	7
1132	GHAZIABAD	Chemical	PAINTS & ENAMELS	Varnish Stoving	IS 344	No	No	7
1133	GHAZIABAD	Chemical	PAINTS & ENAMELS	Black Japan A, B, C	IS 341	No	No	20
1134	GHAZIABAD	Chemical	PAINTS & ENAMELS	Synt. Ext. Enamel finishing/ undercoating Full test	IS 2932	Yes	No	15
1135	GHAZIABAD	Chemical	PAINTS & ENAMELS	Synt. Ext. Enamel undercoating Physico Chemical test only	IS 2932	Yes	No	15
1136	GHAZIABAD	Chemical	PAINTS & ENAMELS	Synt. Ext. Enamel Finishing Physico Chemical test only without accelerated weathering test.	IS 2932	Yes	No	15
1137	GHAZIABAD	Chemical	PAINTS & ENAMELS	Ext. Enamel finishing/ undercoating Full test	IS 2933	No	No	15
1138	GHAZIABAD	Chemical	PAINTS & ENAMELS	ETCH Primer	IS 566	No	No	15
1139	GHAZIABAD	Chemical	PAINTS & ENAMELS	Cement Paint Physico chemical test only	IS 5410	No	No	15
1140	GHAZIABAD	Chemical	PAINTS & ENAMELS	Plastic Emulsion paint part -I	IS 5411	No	No	15
1141	GHAZIABAD	Chemical	PAINTS & ENAMELS	Plastic Emulsion paint part -II	IS 5411	No	No	15
1142	GHAZIABAD	Chemical	PAINTS & ENAMELS	Plastic Emulsion paint Part -I	IS 15489	No	No	15
1143	GHAZIABAD	Chemical	PAINTS & ENAMELS	Plastic Emulsion Paint Part -II	IS 15489	No	No	15
1144	GHAZIABAD	Chemical	PAINTS & ENAMELS	Ext. Enamel finishing/ undercoating Full Test	IS 8662	No	No	15
1145	GHAZIABAD	Chemical	PAINTS & ENAMELS	Synt.Ext. Enamel finishing Physico Chemical test only	IS 8662	No	No	15
1146	GHAZIABAD	Chemical	PAINTS & ENAMELS	Ext. Enamel undercoating Physico Chemical test only	IS 8662	No	No	15
1147	GHAZIABAD	Chemical	PAINTS & ENAMELS	Knifing stopper	IS 5083	No	No	10
1148	GHAZIABAD	Chemical	PAINTS & ENAMELS	Knifing Filler	IS 13798	No	No	15
1149	GHAZIABAD	Chemical	PAINTS & ENAMELS	Aluminium Paints heat resistanceGr.I,II,III	IS 13183	No	No	20
1150	GHAZIABAD	Chemical	PAINTS & ENAMELS	Mastic Filler epoxy based	IS 13184	No	No	20
1151	GHAZIABAD	Chemical	PAINTS & ENAMELS	Epoxy based Zinc Phosphate primer	IS 13238	No	No	20
1152	GHAZIABAD	Chemical	PAINTS & ENAMELS	Epoxy Surfacer	IS 13239	No	No	20

1153	GHAZIABAD	Chemical	PAINTS & ENAMELS	Epoxy Enamel	IS 14209	No	No	20
1154	GHAZIABAD	Chemical	PAINTS & ENAMELS	Epoxy Primer	IS 14589	No	No	20
1155	GHAZIABAD	Chemical	PAINTS & ENAMELS	Epoxy Priming Weldable	IS 14506	No	No	20
1156	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M paint F.G. Stoving for war Equip.	IS 8983	No	No	25
1157	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M paint F.G. Stoving for war Equip. Physico -Chemical test only	IS 8983	No	No	25
1158	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint air drying Red Oxide Zinc Phosphate Priming	IS 12744	No	No	25
1159	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint Finishing F.G. Synthetic	IS 13607	No	No	25
1160	GHAZIABAD	Chemical	PAINTS & ENAMELS	R/M Paint B.R. Bituminous Black	IS 9862	No	No	20
1161	GHAZIABAD	Chemical	PAINTS & ENAMELS	Polyurethane Full gloss enamel	IS 13213	No	No	25
1162	GHAZIABAD	Chemical	PAINTS & ENAMELS	Polyurethane Zinc Phosphate Primer	IS 13759	No	No	25
1163	GHAZIABAD	Chemical	PAINTS & ENAMELS	Thermoplastic Road Marking Material	BS 3262	No	No	10
1164	GHAZIABAD	Chemical	PAINTS & ENAMELS	Thermoplastic Road Marking Material	MORTH	No	No	10
1165	GHAZIABAD	Chemical	PAINTS & ENAMELS	Glass Beads	MORTH	No	No	2
1166	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Consistency	Relevant	Yes	No	2
1167	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Dry Film Thickness	Relevant	No	No	2
1168	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Colour	Relevant	Yes	No	3
1169	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Flash Point	Relevant	Yes	No	2
1170	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Drying time -Surface dry	Relevant	Yes	No	4
1171	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Hard dry	Relevant	Yes	No	2
1172	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Tack free	Relevant	Yes	Yes	3
1173	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Finish	Relevant	Yes	No	2
1174	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Fineness of Grind	Relevant	Yes	No	2
1175	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Flexibility & Adhesion	Relevant	Yes	No	7
1176	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Scratch hardness	Relevant	Yes	No	7
1177	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Gloss 45/60 degree (Each)	Relevant	Yes	No	7
1178	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Lead Restriction Test	Relevant	No	No	5
1179	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Moisture content	Relevant	Yes	No	5
1180	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Wet opacity	Relevant	Yes	No	3
1181	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to heat	Relevant	No	No	7

1182	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to Salt spray (ASTM B 117)	Relevant	Yes	No	10
1183	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to bleeding of pigments	Relevant	No	No	10
1184	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to petrol/ p. hydrocarbon sol.	Relevant	No	No	7
1185	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to water	Relevant	Yes	No	5
1186	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to acid	Relevant	Yes	No	5
1187	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to Kerosene	Relevant	No	No	7
1188	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to Alkali	Relevant	Yes	No	5
1189	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to Lubricating oil	Relevant	No	No	7
1190	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to chlorine	Relevant	No	No	12
1191	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Leafing property test	Relevant	No	No	5
1192	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to Wear	Relevant	No	No	10
1193	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Mass in kg per 10 lits.	Relevant	Yes	No	2
1194	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Pigment analysis	Relevant	Yes	No	5
1195	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Volatile matter	Relevant	Yes	No	2
1196	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Water repellency	Relevant	No	No	7
1197	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	% of glass Bead	Relevant	No	No	2
1198	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Binder Content	Relevant	No	No	2
1199	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Softening Point	Relevant	No	No	2
1200	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Pot life of mixed Paint	Relevant	No	No	2
1201	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to natural / artificial sea water	Relevant	No	No	15
1202	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Residue on sieve	Relevant	No	No	3
1203	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Freedom from yellowing	Relevant	Yes	No	10
1204	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Pigments & Non -Volatile Matter	Relevant	Yes	No	5
1205	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Freedom from organic colouring matter	Relevant	No	No	5
1206	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Volume solids	Relevant	Yes	No	5
1207	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Accelerated storage Stability	Relevant	Yes	No	10
1208	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Phthalic anhydride	Relevant	Yes	No	5
1209	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Determination of Cro3 & Zno	Relevant	Yes	No	7
1210	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Rosin Test	Relevant	No	No	3

1211	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Protection against Corrosion	Relevant	Yes	No	10
1212	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Non - Setting Property	Relevant	No	No	7
1213	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Bleeding test	Relevant	No	No	7
1214	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Viscosity	Relevant	Yes	No	2
1215	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Heat Stability	Relevant	No	No	5
1216	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Solubility in Linseed oil	Relevant	No	No	5
1217	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Solubility in petroleum hydrocarbon solv.	Relevant	No	No	5
1218	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Form & Condition	Relevant	Yes	No	3
1219	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Stripping Test	Relevant	No	No	7
1220	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Rubbing Property	Relevant	No	No	7
1221	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Volatile Matter in Thinner	Relevant	No	No	5
1222	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Recoating Properties	Relevant	No	No	7
1223	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Behaviour towards Lime	Relevant	No	No	15
1224	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Grease content	Relevant	No	No	3
1225	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Settling Properties	Relevant	No	No	2
1226	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Behaviour of sample mixed with equal volume of water	Relevant	No	No	7
1227	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Composition/ Analysis for syn. Enamel	Relevant	No	No	10
1228	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Reaction with white paint	Relevant	No	No	10
1229	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Reaction with varnish exterior	Relevant	No	No	10
1230	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to white spirit	Relevant	No	No	10
1231	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to wet Abrasion	Relevant	No	No	15
1232	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Application Properties	Relevant	Yes	No	2
1233	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Temperature stability	Relevant	No	No	10
1234	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to acids & acid fumes	Relevant	No	No	10
1235	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Compatibility with Thinners	Relevant	No	No	7
1236	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to Transformer Oil	Relevant	No	No	7
1237	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Curing time	Relevant	No	No	10
1238	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Re-softening test	Relevant	No	No	7

1239	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Effect of heat ageing on flexibility	Relevant	No	No	10
1240	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Covering power	Relevant	No	No	7
1241	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Drying in thin film	Relevant	No	No	7
1242	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Dilution ability	Relevant	No	No	5
1243	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Reaction of varnish with copper	Relevant	No	No	5
1244	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Ability to cure in considerable thickness	Relevant	No	No	5
1245	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Checking of resoftening	Relevant	No	No	5
1246	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Stability of varnish in open vessel	Relevant	No	No	5
1247	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Distillation test	Relevant	No	No	5
1248	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Residue on evaporation	Relevant	No	No	5
1249	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Matter insoluble in hot alcohol of the residue	Relevant	No	No	5
1250	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Setting time	Relevant	No	No	5
1251	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Total iron as ferric oxide	Relevant	Yes	No	5
1252	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Ferrous iron	Relevant	No	No	5
1253	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Calcium Compound as calcium oxide	Relevant	No	No	10
1254	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Total Zinc content	Relevant	No	No	10
1255	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Alkali metal content as Potassium oxide	Relevant	No	No	5
1256	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Water soluble Chromates	Relevant	No	No	10
1257	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Combined water	Relevant	No	No	5
1258	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Freedom from Lead	Relevant	No	No	5
1259	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Thinning	Relevant	No	No	3
1260	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Resistance to dry rubbing	Relevant	No	No	7
1261	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Pencil Hardness	Relevant	No	No	5
1262	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Spreading time/capacity	Relevant	No	No	5
1263	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Adhesion & Compatibility in paint system	Relevant	No	No	5
1264	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Zinc Phosphate content	Relevant	No	No	10
1265	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Toxicity	Relevant	No	No	10
1266	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Cuprous oxide content	Relevant	No	No	10

1267	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Non- volatile binder	Relevant	No	No	10
1268	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Softening Point for coal tar enamel	ASTM	No	No	3
1269	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Filler (Ash) for coal tar enamel	ASTM	No	No	3
1270	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Fineness Filler through 200 mesh	ASTM	No	No	3
1271	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Specific gravity at 25*c for coal tar enamel	ASTM	No	No	5
1272	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Penetration at 77F & 115 F for coal tar enamel	Relevant	No	No	3
1273	GHAZIABAD	Chemical	TEST WISE FEE SHEDULE FOR PAINTS	Peel test for coal tar enamel	Relevant	No	No	5
1274	GHAZIABAD	Chemical	MISCELLANEOUS	Flammability in cables , Textiles	Relevant	No	No	5
1275	GHAZIABAD	Chemical	MISCELLANEOUS	Acidity	Relevant	No	No	3
1276	GHAZIABAD	Chemical	MISCELLANEOUS	Ash	Relevant	No	No	3
1277	GHAZIABAD	Chemical	MISCELLANEOUS	Aluminium	Relevant	No	No	7
1278	GHAZIABAD	Chemical	MISCELLANEOUS	pH	Relevant	No	No	3
1279	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Softening point	Relevant	No	No	3
1280	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Penetration	Relevant	No	No	3
1281	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Flash point	Relevant	Yes	No	2
1282	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Viscosity Kinematic	Relevant	Yes	No	2
1283	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Saponification Value	Relevant	No	No	5
1284	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Distillation Range	Relevant	No	No	3
1285	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Pour point	Relevant	Yes	No	3
1286	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Bitumen	702	No	No	7
1287	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Boot Polish/ Shoe Polish paste	IS 1746	No	No	20
1288	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Shoe Polish Liquid	IS 12010	No	No	20
1289	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Diesel Fuel	IS 1460	No	No	10
1290	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Kerosene	IS 1459	No	No	10
1291	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Bitumen industrial	IS 702	No	No	7
1292	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Paving Bitumen	IS 73	No	No	7
1293	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Coal Tar Pitch	IS 216	No	No	10
1294	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Bitumen content & total weight of Bitumen felt	IS 1322	No	No	5
1295	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Fuel oils (Excluding special requirments	IS 1593	No	No	7
1296	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	All single tests	IS 1448	No	No	5

1297	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Cumin Powder	PFA	No	No	10
1298	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Coriander Powder	IS 2444	No	No	10
1299	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Chili Powder	IS 2445	No	No	10
1300	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Gross calorific value (coal)	IS 1350	No	No	5
1301	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Polymer modified & crumb rubber modified Bitumen	IS 15462	No	No	10
1302	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Cationic Bitumen emulsion	IS 8887	No	No	10
1303	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Cationic Bitumen emulsion with self life	IS 8887	No	No	10
1304	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Bitumen/Binder Content	Relevant I.S.	No	No	5
1305	GHAZIABAD	Chemical	BITUMEN , OIL ,GREASE & GENERAL	Carbon Slurry	Relevant I.S. ASTM	No	No	7
1306	GHAZIABAD	Chemical	Analysis of Chemical fertiliser as per schedule II of Fertilizer Control Order 1985 For One Single Parameter for each sample	Single Element	FCO 1985	Yes	No	3
1307	GHAZIABAD	Chemical	Analysis of Chemical fertiliser as per schedule II of Fertilizer Control Order 1986 for One full sample consisting of more than 7 parameters	Full Test	FCO 1985	Yes	No	10
1308	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Consistency	IS 4031 (Pt-4)	YES	YES	1
1309	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Fineness by Blaine's Apparatus (Including Specific gravity)	IS 4031 (Pt-2)	YES	YES	2
1310	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Setting Time	IS 4031 (Pt-5)	YES	YES	1
1311	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Soundness by Le Chatlier's method	IS 4031 (Pt-3)	YES	YES	2
1312	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Soundness by autoclave method	IS 4031 (Pt-3)	YES	YES	2
1313	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Compressive Strength (3 duration)	IS 4031 (Pt-6)	YES	YES	28
1314	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Sulphate Expansion Test	IS 12330	NO	NO	14
1315	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Drying Shrinkage	IS 4031 (Pt-10)	YES	YES	35
1316	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Particle retained on 45 micron sieve	IS 4031 (Pt-2)	YES	YES	2
1317	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Compressive Strength 2 durations	IS 4031 (Pt-6)	YES	YES	28
1318	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Degree of Whiteness	IS 8041	NO	NO	1
1319	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Specific Gravity of Cement	IS 4031 (Pt-11)	YES	YES	1
1320	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Chemical Analysis for Cement	IS 4032	YES	YES	7
1321	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	33 Gr OPC -Full test	IS 269	YES	YES	40
1322	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	43 Gr OPC -Full test	IS 269	YES	YES	40
1323	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	53 Gr OPC -Full test	IS 269	YES	YES	40
1324	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Portland Slag Cement -Full test	IS 455	YES	YES	40

1325	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Sulphate Resisting Portland Cement -Full test	IS 12330	YES	NO	40
1326	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Portland Pozzolana Cement-Full test	IS 1489(Pt-1,2)	YES	YES	40
1327	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	White Portland Cement - Full test	IS 8042	NO	NO	40
1328	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Super sulphated cement - Full test	IS 6909	NO	NO	40
1329	GHAZIABAD	Civil	CEMENT AND ALLIED PRODUCTS	Rapid hardening portland cement - Full test	IS 8041	NO	NO	40
1330	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Fineness by Blaine's Apparatus (including Specific Gravity)	IS 1727	YES	YES	2
1331	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Drying Shrinkage	IS 1727	YES	YES	35
1332	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Lime reactivity	IS 1727	YES	YES	15
1333	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Compressive Strength of Fly ash(comparative)	IS 1727	YES	YES	28
1334	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Soundness by autoclave expansion of Fly ash	IS 1727	YES	YES	2
1335	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Particle retained on 45 micron sieve	IS 1727	YES	YES	2
1336	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Chemical Analysis for fly ash	IS 1727	YES	YES	40
1337	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Free moisture and loss on ignition	IS 1727	NO	NO	5
1338	GHAZIABAD	Civil	Pulverized Fuel Ash - Full test	Pulverized Fuel Ash - Full test	IS 3812	YES	YES	40
1339	GHAZIABAD	Civil	BUILDING LIME	Fineness (by wet sieving) Single Sieve	IS 6932	NO	NO	2
1340	GHAZIABAD	Civil	BUILDING LIME	Residue on Slacking (Lime)	IS 6932	NO	NO	2
1341	GHAZIABAD	Civil	BUILDING LIME	Transverse strength Strength	IS 6932	NO	NO	28
1342	GHAZIABAD	Civil	BUILDING LIME	Popping and pitting	IS 6932	NO	NO	2
1343	GHAZIABAD	Civil	BUILDING LIME	Soundness by Le Chatlier's method	IS 6932	NO	NO	2
1344	GHAZIABAD	Civil	BUILDING LIME	Setting time	IS 6932	NO	NO	1
1345	GHAZIABAD	Civil	BUILDING LIME	Compressive strength	IS 6932	NO	NO	28
1346	GHAZIABAD	Civil	BUILDING LIME	Chemical analysis (Lime)	IS 6932	NO	NO	15
1347	GHAZIABAD	Civil	Water Proofing Compounds	Setting Time for WPC	IS 4031 (Pt-5)	YES	YES	1
1348	GHAZIABAD	Civil	Water Proofing Compounds	Compressive Strength for WPC	IS 4031 (Pt-6)	YES	YES	28
1349	GHAZIABAD	Civil	Water Proofing Compounds	Permeability to water WPC	IS 2645	YES	YES	21
1350	GHAZIABAD	Civil	Water Proofing Compounds	Chloride Content /Sulphate content in WPC	IS 2645	YES	YES	15
1351	GHAZIABAD	Civil	Water Proofing Compounds	Integral Cement Waterproofing compound Full test	IS 2645	YES	YES	30
1352	GHAZIABAD	Civil	TIMBER	Moisture content	IS 1708/IS 1734/IS 2380	YES	YES	2

1353	GHAZIABAD	Civil	TIMBER	Specific Gravity	IS 1708/IS 1734/IS 2380	YES	YES	2
1354	GHAZIABAD	Civil	TIMBER	Static Bending	IS 1734/IS 2380	YES	YES	7
1355	GHAZIABAD	Civil	TIMBER	Tensile Strength (parallel)	IS 1734	YES	YES	7
1356	GHAZIABAD	Civil	TIMBER	Nail holding power	IS 1734/IS 2380	NO	NO	7
1357	GHAZIABAD	Civil	TIMBER	Screw holding power	IS 1734/IS 2380	YES	YES	7
1358	GHAZIABAD	Civil	TIMBER	Defects of Timber	IS 303/ IS 710/ IS1328/IS 4990	YES	YES	1
1359	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Moisture Content	IS 2202 (Pt-1)	YES	YES	2
1360	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Screw holding power	IS 4020	YES	YES	2
1361	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Dimensions & Construction	IS 4020	YES	YES	1
1362	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Squareness	IS 4020	YES	YES	1
1363	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	General flatness	IS 4020	YES	YES	1
1364	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Local planeness	IS 4020	YES	YES	1
1365	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Impact indentation	IS 4020	YES	YES	1
1366	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Edge loading test	IS 4020	YES	YES	1
1367	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Shock resistance test	IS 4020	YES	YES	1
1368	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Buckling test	IS 4020	YES	YES	1
1369	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Misuse Test	IS 4020	YES	YES	1
1370	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	End Immersion test	IS 4020	YES	YES	20
1371	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Glue adhesion test	IS 4020	YES	YES	2
1372	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Adhesion of plies (Knife test)	IS 4020	YES	YES	1
1373	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Varying humidity test	IS 4020	YES	YES	21
1374	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Flexure test	IS 4020	YES	YES	1
1375	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Slamming Test	IS 4020	YES	YES	1
1376	GHAZIABAD	Civil	FLUSH DOOR SHUTTERS	Solid core Ply wood face panels -Full test	IS 2202 (Pt-1)	YES	YES	50
1377	GHAZIABAD	Civil	PANELED DOOR SHUTTERS	Moisture content	IS 4020	YES	NO	2
1378	GHAZIABAD	Civil	PANELED DOOR SHUTTERS	Dimensions & Construction	IS 4020	YES	NO	1
1379	GHAZIABAD	Civil	PANELED DOOR SHUTTERS	Slamming Test	IS 4020	YES	NO	1
1380	GHAZIABAD	Civil	PLYWOOD	Dimension , Surface defects & Construction	IS 303	YES	YES	1
1381	GHAZIABAD	Civil	PLYWOOD	Water Resistance test	IS 303/ IS 710/ IS1328/IS 4990	YES	YES	7
1382	GHAZIABAD	Civil	PLYWOOD	Mycological test	IS 1734	YES	YES	21
1383	GHAZIABAD	Civil	PLYWOOD	Moisture Content	IS 1734	YES	YES	2
1384	GHAZIABAD	Civil	PLYWOOD	Modulus of Rupture & Elasticity	IS 1734	YES	YES	7
1385	GHAZIABAD	Civil	PLYWOOD	Tensile Strength	IS 1734	YES	YES	7
1386	GHAZIABAD	Civil	PLYWOOD	Dimension & density	IS 1734	YES	YES	2
1387	GHAZIABAD	Civil	PLYWOOD	Glue shear strength-dry state for shuttering ply/Marine ply	IS 1734	YES	YES	7
1388	GHAZIABAD	Civil	PLYWOOD	Resistance to water for shuttering Ply/Marine Ply	IS 4990/IS 710	YES	YES	7
1389	GHAZIABAD	Civil	PLYWOOD	Mycological test for Shuttering ply/Marine ply	IS 1734	YES	YES	21
1390	GHAZIABAD	Civil	PLYWOOD	chemical-Preservative test	IS 1734	YES	YES	15
1391	GHAZIABAD	Civil	PLYWOOD	Specific Gravity	IS 1734	NO	NO	2

1392	GHAZIABAD	Civil	PLYWOOD	Nail / screw holding	IS 1734	YES	YES	7
1393	GHAZIABAD	Civil	PLYWOOD	Ply Wood General purposes - Full test	IS 303	YES	YES	30
1394	GHAZIABAD	Civil	PLYWOOD	Marine Ply wood -Full test	IS 710	YES	YES	45
1395	GHAZIABAD	Civil	PLYWOOD	Veneered Decorative Ply wood - Full test	IS 1328	YES	YES	45
1396	GHAZIABAD	Civil	BLOCK BOARDS	Moisture Content	IS 1659	YES	YES	2
1397	GHAZIABAD	Civil	BLOCK BOARDS	Dimensions and Surface defects	IS 1659/ IS 303	YES	YES	1
1398	GHAZIABAD	Civil	BLOCK BOARDS	Dimensional Changes caused by humidty	IS 1659	YES	YES	7
1399	GHAZIABAD	Civil	BLOCK BOARDS	Mycological test	IS 1659	YES	YES	21
1400	GHAZIABAD	Civil	BLOCK BOARDS	Water Resistance test	IS 1659	YES	YES	3
1401	GHAZIABAD	Civil	BLOCK BOARDS	Modulus of Rupture & Elasticity	IS 1659	YES	YES	7
1402	GHAZIABAD	Civil	BLOCK BOARDS	Spot test for Block Board	IS 1659	YES	YES	2
1403	GHAZIABAD	Civil	BLOCK BOARDS	Block Board -Full test	IS 1659	YES	YES	30
1404	GHAZIABAD	Civil	PARTICLE BOARDS	Dimensions	IS 2380	YES	NO	1
1405	GHAZIABAD	Civil	PARTICLE BOARDS	Density	IS 2380	YES	NO	1
1406	GHAZIABAD	Civil	PARTICLE BOARDS	Moisture content	IS 2380	YES	NO	2
1407	GHAZIABAD	Civil	PARTICLE BOARDS	Water absorption	IS 2380	YES	NO	3
1408	GHAZIABAD	Civil	PARTICLE BOARDS	Linear Expansion	IS 2380	YES	NO	3
1409	GHAZIABAD	Civil	PARTICLE BOARDS	Swelling due to Surface absorption	IS 2380	YES	NO	3
1410	GHAZIABAD	Civil	PARTICLE BOARDS	Modulus of Rupture & Elasticity	IS 2380	YES	NO	7
1411	GHAZIABAD	Civil	PARTICLE BOARDS	Tensile Strength perpendicular to surface	IS 2380	YES	NO	7
1412	GHAZIABAD	Civil	PARTICLE BOARDS	Tensile Strength after Accelerated water resistance	IS 2380	YES	NO	7
1413	GHAZIABAD	Civil	PARTICLE BOARDS	Tensile Strength after Cyclic test	IS 2380	YES	NO	7
1414	GHAZIABAD	Civil	PARTICLE BOARDS	Screw withdrawal strength (face&edge)	IS 2380	YES	NO	3
1415	GHAZIABAD	Civil	PARTICLE BOARDS	Workmanship & finish	IS 3087	YES	NO	1
1416	GHAZIABAD	Civil	PARTICLE BOARDS	Water Resistance test	IS 2380	YES	NO	7
1417	GHAZIABAD	Civil	PARTICLE BOARDS	Swelling due to general absorption	IS 2380	YES	NO	3
1418	GHAZIABAD	Civil	PARTICLE BOARDS	Adhesion of plies (Knife test)	IS 2380	YES	NO	1
1419	GHAZIABAD	Civil	PARTICLE BOARDS	Resistance to Steam	IS 12823/ IS 14587	YES	NO	2
1420	GHAZIABAD	Civil	PARTICLE BOARDS	Resistance to Crack	IS 12823/ IS 14587	YES	NO	2
1421	GHAZIABAD	Civil	PARTICLE BOARDS	Resistance to Cigarette burn	IS 12823/ IS 14587	YES	NO	2
1422	GHAZIABAD	Civil	PARTICLE BOARDS	Swelling Thickness	IS 2380	YES	NO	3
1423	GHAZIABAD	Civil	PARTICLE BOARDS	Resistance to stain	IS 12823/ IS 14587	YES	NO	1
1424	GHAZIABAD	Civil	PARTICLE BOARDS	Abrasion Resistance	IS 12823/ IS 14587	YES	NO	7
1425	GHAZIABAD	Civil	PARTICLE BOARDS	Plain Particle Board Grade - 1 -Full test	IS 3087	Except Chemical	NO	25

1426	GHAZIABAD	Civil	PARTICLE BOARDS	Plain Particle Board Grade - 2 -Full Test	IS 3087	Except Chemical	NO	25
1427	GHAZIABAD	Civil	PARTICLE BOARDS	Veneered particle board - Full test (Preservative test extra)	IS 3097	YES	YES	25
1428	GHAZIABAD	Civil	PARTICLE BOARDS	Medium Density Fibre board Gr-1 -Full test	IS 12406	Except Chemical	NO	25
1429	GHAZIABAD	Civil	PARTICLE BOARDS	Medium Density Fibre board Gr-2 - Full test	IS 12406	Except Chemical	NO	25
1430	GHAZIABAD	Civil	PARTICLE BOARDS	Prelaminated particle board Gr-1 -Full test	IS 12823	Except Chemical	NO	25
1431	GHAZIABAD	Civil	PARTICLE BOARDS	Prelaminated particle board Gr-2 -Full test	IS 12823	Except Chemical	NO	25
1432	GHAZIABAD	Civil	PARTICLE BOARDS	Prelaminated MDF Board Gr-1 - Full test	IS 14587	Except Chemical	NO	25
1433	GHAZIABAD	Civil	PARTICLE BOARDS	Prelaminated MDF Board Gr-2 -Full test	IS 14587	Except Chemical	NO	25
1434	GHAZIABAD	Civil	PAVER BLOCKS	Visual Examination	IS 15658	YES	NO	1
1435	GHAZIABAD	Civil	BRICKS, PAVER BLOCKS	Dimensions	IS 1077/ IS 15658/ IS 12894	YES	NO	1
1436	GHAZIABAD	Civil	BRICKS	Crushing Strength	IS 3495/ IS 15658	YES	NO	5
1437	GHAZIABAD	Civil	BRICKS, PAVER BLOCKS	Water Absorption	IS 3495/ IS 15658	YES	NO	3
1438	GHAZIABAD	Civil	BRICKS,	Efflorescence	IS 3495	YES	NO	15
1439	GHAZIABAD	Civil	BRICKS	Drying shrinkage	IS 4139	NO	NO	21
1440	GHAZIABAD	Civil	PAVER BLOCKS	Flexural strength	IS 15658	NO	NO	3
1441	GHAZIABAD	Civil	PAVER BLOCKS	Dimensionss & Thickness of wearing layer for pavers	IS 15658	YES	NO	2
1442	GHAZIABAD	Civil	PAVER BLOCKS	Compressive Strength for Pavers Blocks	IS 15658	YES	NO	3
1443	GHAZIABAD	Civil	PAVER BLOCKS	Abrasion Resistance for pavers	IS 15658	YES	NO	8
1444	GHAZIABAD	Civil	BLOCKS	Block Density for hollow blocks/Cellular block	IS 6441	NO	NO	2
1445	GHAZIABAD	Civil	BLOCKS	Moisture Content for hollow blocks/cellular block	IS 6441	NO	NO	2
1446	GHAZIABAD	Civil	BRICKS, BLOCKS	Drying Shrinkage for hollow blocks/cellular block	IS 6441	NO	NO	21
1447	GHAZIABAD	Civil	BRICKS, BLOCKS	Compressive Strength per cellular block	IS 6441	NO	NO	7
1448	GHAZIABAD	Civil	BRICKS, BLOCKS	Burnt Clay Building Bricks -Full test	IS 1077	YES	NO	25
1449	GHAZIABAD	Civil	BRICKS, BLOCKS	Pulverized Fuel Ash Lime Bricks -Full test	IS 12894	YES	NO	25
1450	GHAZIABAD	Civil	BRICKS, BLOCKS	Acid Resistance Bricks -Full test	IS 4860	YES	NO	25

1451	GHAZIABAD	Civil	BRICKS, BLOCKS	Calcium Silicate Bricks -Full test	IS 4139	YES	NO	25
1452	GHAZIABAD	Civil	PAVER BLOCKS	Paving Blocks - Obligatory tests [Dimensions, Water Absorption, Compressive Strength, abrasion (dry & wet conditions), Flexural strength, Tensile splitting Strength]	IS 15658	YES	NO	20
1453	GHAZIABAD	Civil	BRICKS, BLOCKS	Hollow Concrete Blocks -Full test	IS 2185	NO	NO	20
1454	GHAZIABAD	Civil	BRICKS, BLOCKS	AAC Blocks (except drying shrinkage7 thermal conductivity)	IS 2185 (P 3)	NO	NO	20
1455	GHAZIABAD	Civil	BRICKS, BLOCKS	Burnt clay perforated building bricks-Full test	IS 2222	YES	NO	25
1456	GHAZIABAD	Civil	BRICKS, BLOCKS	Full test				
1457	GHAZIABAD	Civil	BRICKS, BLOCKS	Burnt clay Facing bricks-full test	IS 2691	YES	NO	25
1458	GHAZIABAD	Civil	BRICKS, BLOCKS	Heavy duty common burnt clay bricks-full test	IS 2120	YES	NO	25
1459	GHAZIABAD	Civil	STONES, ROCKS	Moisture Absorption	IS 1124	NO	NO	3
1460	GHAZIABAD	Civil	STONES, ROCKS	Water absorption	IS 1124	NO	NO	3
1461	GHAZIABAD	Civil	STONES, ROCKS	Porosity	IS 1122	NO	NO	3
1462	GHAZIABAD	Civil	STONES, ROCKS	Compressive strength of prepared sample of rock	IS 1121	NO	NO	5
1463	GHAZIABAD	Civil	STONES, ROCKS	Tensile strength prepared rock sample	IS 1121	NO	NO	5
1464	GHAZIABAD	Civil	STONES, ROCKS	Specific Gravity of rock	IS 1122	NO	NO	3
1465	GHAZIABAD	Civil	STONES, ROCKS	Moh's Hardness	IS 13630	NO	NO	1
1466	GHAZIABAD	Civil	STONES, ROCKS	Resistance to wear of rock	IS 1706	NO	NO	5
1467	GHAZIABAD	Civil	STONES, ROCKS	Flextural Strength of prepared rock sample	IS 1121	NO	NO	5
1468	GHAZIABAD	Civil	STONES, ROCKS	Durability test of rock/concrete	IS 1126	NO	NO	35
1469	GHAZIABAD	Civil	STONES, ROCKS	Density (Boulders,stone)	IS 13030	NO	NO	5
1470	GHAZIABAD	Civil	STONES, ROCKS	Specific Weight (Boulders/Blocks)	IS 1122	NO	NO	5
1471	GHAZIABAD	Civil	STONES, ROCKS	Structural Granite -Full test	IS 3316	NO	NO	40
1472	GHAZIABAD	Civil	CONCRETE ADDITIVES	Water content of Concrete additive	IS 9103	NO	NO	3
1473	GHAZIABAD	Civil	CONCRETE ADDITIVES	Comperative Compressive strength per duration	IS 9103/ IS 516	NO	NO	28

1474	GHAZIABAD	Civil	CONCRETE ADDITIVES	Compressive strength single period concrete additive	IS 9103/ IS 516	NO	NO	28
1475	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Compressive Strength of CC Cube 1 set	IS 516	YES	YES	2
1476	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Equivalent Cube Strength of Concrete core 1 set	IS 516	YES	NO	3
1477	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Concrete Mix Design	IS 10262	NO	NO	45
1478	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Concrete Mix Design (with admixture)	IS 10262	NO	NO	45
1479	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Compressive Strength of Cube	IS 516	YES	YES	2
1480	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Compressive Strength of Cube/Block with preparation	IS 516	YES	NO	3
1481	GHAZIABAD	Civil	CONCRETE AND NON DESTRUCTIVE TESTS	Slump test	IS 9103/ IS1199	NO	NO	2
1482	GHAZIABAD	Civil	WATER	Setting time of water sample	IS 4031	YES	YES	1
1483	GHAZIABAD	Civil	WATER	Compressive strength of water sample	IS 516	YES	YES	28
1484	GHAZIABAD	Civil	WATER	Chemical analysis of water sample	IS 456	YES	YES	7
1485	GHAZIABAD	Civil	WATER	Water for construction - Full test	IS 456	YES	YES	35
1486	GHAZIABAD	Civil	TILES	Dimensions & Visual examination	IS 1237/ IS 13801	YES	YES	1
1487	GHAZIABAD	Civil	TILES	Flatness	IS 1237/ IS 13801	YES	YES	1
1488	GHAZIABAD	Civil	TILES	Straightness	IS 1237/ IS 13801	YES	YES	1
1489	GHAZIABAD	Civil	TILES	Perpendicularity	IS 1237/ IS 13801	YES	YES	1
1490	GHAZIABAD	Civil	TILES	Water Absorption	IS 1237/ IS 13801	YES	YES	3
1491	GHAZIABAD	Civil	TILES	Wet Transverse Strength	IS 1237/ IS 13801	YES	YES	3
1492	GHAZIABAD	Civil	TILES	Resistance to Wear	IS 1237/ IS 13801	YES	YES	3
1493	GHAZIABAD	Civil	TILES	Warpage	IS 15622	NO	NO	1
1494	GHAZIABAD	Civil	TILES	Flexural Strength/Compressive strength	IS 4457/ IS 15622	NO	NO	1
1495	GHAZIABAD	Civil	TILES	Acid Resistance	IS 4457/ IS 15622	YES	NO	14
1496	GHAZIABAD	Civil	TILES	Dimensions Length ceramic tiles	IS 4457/ IS 15622	NO	NO	1
1497	GHAZIABAD	Civil	TILES	Dimensions Width ceramic tiles	IS 4457/ IS 15622	NO	NO	1
1498	GHAZIABAD	Civil	TILES	Dimensions Thickness ceramic tiles	IS 4457/ IS 15622	NO	NO	1
1499	GHAZIABAD	Civil	TILES	Modulus of Rupture ceramic tiles	IS 4457/ IS 15622	YES	NO	3
1500	GHAZIABAD	Civil	TILES	Breaking Strength ceramic tiles	IS 4457/ IS 15622	YES	NO	3
1501	GHAZIABAD	Civil	TILES	Crazing resistance ceramic tiles	IS 15622	YES	NO	2

1502	GHAZIABAD	Civil	TILES	Resistance to Acids / Alkalis ceramic tiles	IS 15622	YES	NO	14
1503	GHAZIABAD	Civil	TILES	Impact resistance	IS 15622	NO	NO	5
1504	GHAZIABAD	Civil	TILES	C.C.Flooring Tiles -Full test	IS 1237	YES	YES	20
1505	GHAZIABAD	Civil	TILES	Chequered CC Flooring Tiles -Full test	IS 13801	YES	YES	20
1506	GHAZIABAD	Civil	AGGREGATES	Grading and fineness Modulus	IS 2386	YES	YES	2
1507	GHAZIABAD	Civil	AGGREGATES	Aggregate Crushing Value	IS 2386	YES	YES	2
1508	GHAZIABAD	Civil	AGGREGATES	Aggregate Impact Value	IS 2386	YES	YES	2
1509	GHAZIABAD	Civil	AGGREGATES	Aggregate Abrasion Value	IS 2386	YES	YES	2
1510	GHAZIABAD	Civil	AGGREGATES	Soundness	IS 2386	YES	YES	10
1511	GHAZIABAD	Civil	AGGREGATES	Deleterious Materials and Organic impurities	IS 2386	YES	YES	3
1512	GHAZIABAD	Civil	AGGREGATES	Specific Gravity	IS 2386	YES	YES	2
1513	GHAZIABAD	Civil	AGGREGATES	Loose Bulk Density	IS 2386	YES	YES	2
1514	GHAZIABAD	Civil	AGGREGATES	Compacted Bulk Density	IS 2386	YES	YES	2
1515	GHAZIABAD	Civil	AGGREGATES	Water absorption	IS 2386	YES	YES	3
1516	GHAZIABAD	Civil	AGGREGATES	Silt content (CPWD Specification)	CPWD	YES	YES	2
1517	GHAZIABAD	Civil	AGGREGATES	Flakiness Index	IS 2386	YES	YES	1
1518	GHAZIABAD	Civil	AGGREGATES	Elongation Index	IS 2386	YES	YES	1
1519	GHAZIABAD	Civil	AGGREGATES	Alkali Aggrgate Reactivity	IS 2386	NO	NO	10
1520	GHAZIABAD	Civil	AGGREGATES	Stripping test of Aggregate	IS 6241	NO	NO	2
1521	GHAZIABAD	Civil	AGGREGATES	Moisture content	OVEN DRY	NO	NO	2
1522	GHAZIABAD	Civil	AGGREGATES	Coarse aggregate -Full test	IS 383	YES	NO	25
1523	GHAZIABAD	Civil	AGGREGATES	Fine Aggregate - Full test	IS 383	YES	NO	25
1524	GHAZIABAD	Civil	SOIL	Liquid limit	IS 2720	YES	NO	3
1525	GHAZIABAD	Civil	SOIL	Plastic limit	IS 2720	YES	NO	2
1526	GHAZIABAD	Civil	SOIL	Particle size distribution	IS 2720	YES	NO	3
1527	GHAZIABAD	Civil	SOIL	Proctor test	IS 2720	YES	NO	5
1528	GHAZIABAD	Civil	SOIL	Porosity	IS 2720	NO	NO	3
1529	GHAZIABAD	Civil	SOIL	CBR with declared OMC on disturbed sample	IS 2720	YES	NO	5
1530	GHAZIABAD	Civil	SOIL	Laboratory CBR on distrubed sample of unknown OMC	IS 2720	YES	NO	5
1531	GHAZIABAD	Civil	SOIL	CBR on Undistribred sample	IS 2720	YES	NO	5
1532	GHAZIABAD	Civil	SOIL	Bulk density	IS 2720	YES	NO	3
1533	GHAZIABAD	Civil	SOIL	Effective size	RDSO	YES	NO	2
1534	GHAZIABAD	Civil	SOIL	Uniformity Coefficient	RDSO	YES	NO	2
1535	GHAZIABAD	Civil	SOIL	Grain size analysis manual	IS 2720	YES	NO	2

1536	GHAZIABAD	Civil	SOIL	Grain size alysis instrumental	IS 2720	YES	NO	2
1537	GHAZIABAD	Civil	SOIL	Moisture content	IS 2720	YES	NO	2
1538	GHAZIABAD	Civil	PIPES AND PIPE FITTINGS	Dimensions & Visual examination	IS 458	NO	NO	3
1539	GHAZIABAD	Civil	Gypsm Plaster Board	Dimensions	IS 2095	NO	NO	1
1540	GHAZIABAD	Civil	Gypsm Plaster Board	Taper Profile (Width&Depth)	IS 2095	NO	NO	1
1541	GHAZIABAD	Civil	Gypsm Plaster Board	Water Absorption	IS 2380	NO	NO	3
1542	GHAZIABAD	Civil	Gypsm Plaster Board	Trasverse Strength(Both direction)	IS 2542	NO	NO	3
1543	GHAZIABAD	Civil	Gypsm Plaster Board	Determination of Mass of plaster	IS 2542	NO	NO	2
1544	GHAZIABAD	Civil	Gypsm Plaster Board	Free Moisture	IS 2542	NO	NO	2
1545	GHAZIABAD	Civil	Gypsm Plaster Board	Swelling	IS 2380	NO		2
1546	GHAZIABAD	Civil	Mineral wool	Density (Rock and Slag wool)	IS 3144	NO	NO	2
1547	GHAZIABAD	Civil	Mineral wool	Moisture content	IS 3144	NO	NO	2
1548	GHAZIABAD	Civil	Mineral wool	Moisture Absorption	IS 3144	NO	NO	2
1549	GHAZIABAD	Civil	Mineral wool	Thickness	IS 3144	NO	NO	1
1550	GHAZIABAD	Civil	Mineral wool	Recovery after compression	IS 3144	NO	NO	3
1551	GHAZIABAD	Civil	Mineral wool	Resistance to compression	IS 3144	NO	NO	5
1552	GHAZIABAD	Civil	Mineral wool	Dimension and Bulk density of Rock and Slag wool	IS 3144	NO	NO	2
1553	GHAZIABAD	Civil	Mineral wool	Dimension (Rock and Slag wool)	IS 3144	NO	NO	2
1554	GHAZIABAD	Civil	Mineral wool	Sulphur content	IS 3144	NO	NO	5
1555	GHAZIABAD	MECHANICAL TESTING	Aluminium	Tensile test	IS 21	YES	NO	4
1556	GHAZIABAD	MECHANICAL TESTING	Aluminium	Bend test	IS 21	YES	NO	2
1557	GHAZIABAD	MECHANICAL TESTING	Aluminium	Chemical analysis	IS 21	YES	NO	4
1558	GHAZIABAD	MECHANICAL TESTING	Aluminium	Full Test	IS 21	YES	NO	10
1559	GHAZIABAD	MECHANICAL TESTING	Grey Cast Iron	Tensile test	IS 210	YES	NO	4
1560	GHAZIABAD	MECHANICAL TESTING	Grey Cast Iron	Hardness test	IS 210	YES	NO	1
1561	GHAZIABAD	MECHANICAL TESTING	Grey Cast Iron	Full Test	IS 210	YES	NO	7
1562	GHAZIABAD	MECHANICAL TESTING	Galvanised Sheet	Bend test	IS 277	YES	YES	1
1563	GHAZIABAD	MECHANICAL TESTING	Galvanised Sheet	Dimensions	IS 277	YES	YES	1
1564	GHAZIABAD	MECHANICAL TESTING	Galvanised Sheet	Coating test (triple spot)	IS 277	YES	YES	3
1565	GHAZIABAD	MECHANICAL TESTING	Galvanised Sheet	Full Test	IS 277	YES	YES	7
1566	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Visual Eaxamination	IS 278	YES	YES	1
1567	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Dimensions	IS 278	YES	YES	1
1568	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Chemical analysis	IS 278	YES	YES	3
1569	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Galvanising	IS 278	YES	YES	2
1570	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Ducitilty	IS 278	YES	NO	1
1571	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Tensile test	IS 278	YES	NO	2
1572	GHAZIABAD	MECHANICAL TESTING	Barbed Wire	Full Test	IS 278	YES	NO	10
1573	GHAZIABAD	MECHANICAL TESTING	M.S.Wire	Tensile test	IS 280	YES	NO	2
1574	GHAZIABAD	MECHANICAL TESTING	M.S.Wire	Chemical analysis	IS 280	YES	NO	4
1575	GHAZIABAD	MECHANICAL TESTING	M.S.Wire	Galvanising	IS 280	YES	NO	1
1576	GHAZIABAD	MECHANICAL TESTING	M.S.Wire	Wrapping test	IS 280	YES	NO	1
1577	GHAZIABAD	MECHANICAL TESTING	M.S.Wire	Full Test	IS 280	YES	NO	10
1578	GHAZIABAD	MECHANICAL TESTING	Brass Sheet / Strip	Dimensions	IS 410	YES	NO	1
1579	GHAZIABAD	MECHANICAL TESTING	Brass Sheet / Strip	Bend test (Cold)	IS 410	YES	NO	1
1580	GHAZIABAD	MECHANICAL TESTING	Brass Sheet / Strip	Hardness test	IS 410	YES	NO	1
1581	GHAZIABAD	MECHANICAL TESTING	Brass Sheet / Strip	Tensile test	IS 410	YES	NO	3
1582	GHAZIABAD	MECHANICAL TESTING	Brass Sheet / Strip	Chemical analysis	IS 410	NO	NO	2

1583	GHAZIABAD	MECHANICAL TESTING	Brass Sheet / Strip	Full Test	IS 410	NO	NO	10
1584	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Visual Examination	IS 432 (Pt 1)	YES	YES	1
1585	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Dimensions	IS 432 (Pt 1)	YES	YES	1
1586	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Tensile test	IS 432 (Pt 1)	YES	YES	3
1587	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Bend test	IS 432 (Pt 1)	YES	YES	1
1588	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Chemical analysis	IS 432 (Pt 1)	YES	YES	2
1589	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Full Test	IS 432 (Pt 1)	YES	YES	10
1590	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Visual Examination	IS 432 (Pt 2)	YES	YES	10
1591	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Dimensions	IS 432 (Pt 2)	YES	YES	1
1592	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Tensile test	IS 432 (Pt 2)	YES	YES	3
1593	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Reverse bend test	IS 432 (Pt 2)	YES	YES	1
1594	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Chemical analysis	IS 432 (Pt 2)	YES	YES	2
1595	GHAZIABAD	MECHANICAL TESTING	M.S.Bar & H.D. wire	Full Test	IS 432 (Pt 2)	YES	YES	10
1596	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Visual Examination	IS 513	YES	NO	1
1597	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Dimensions	IS 513	YES	NO	1
1598	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Tensile test	IS 513	YES	NO	4
1599	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Hardness test	IS 513	YES	NO	1
1600	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Bend test	IS 513	YES	NO	1
1601	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Chemical analysis	IS 513	YES	NO	2
1602	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Cupping test	IS 513	NO	NO	1
1603	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Full Test for CR-1 grade	IS 513	NO	NO	12
1604	GHAZIABAD	MECHANICAL TESTING	C.R.Low Carbon Steel	Full Test for CR-2, 3&4 grade	IS 513	NO	NO	12
1605	GHAZIABAD	MECHANICAL TESTING	Wought Aluminium	Tensile test	IS 737	YES	NO	4
1606	GHAZIABAD	MECHANICAL TESTING	Wought Aluminium	Bend test	IS 737	YES	NO	1
1607	GHAZIABAD	MECHANICAL TESTING	Wought Aluminium	Chemical analysis	IS 737	YES	NO	3
1608	GHAZIABAD	MECHANICAL TESTING	Wought Aluminium	Full Test	IS 737	YES	NO	10
1609	GHAZIABAD	MECHANICAL TESTING	Copper Gate/ check Valves	Dimensions	IS 778	YES	YES	1
1610	GHAZIABAD	MECHANICAL TESTING	Copper Gate/ check Valves	Haydraulic test	IS 778	YES	YES	1
1611	GHAZIABAD	MECHANICAL TESTING	Copper Gate/ check Valves	Chemical analysis	IS 778	YES	YES	3
1612	GHAZIABAD	MECHANICAL TESTING	Copper Gate/ check Valves	Full Test	IS 778	YES	YES	7
1613	GHAZIABAD	MECHANICAL TESTING	Hot Rolled Steel Sheets	Dimensions	IS 1079	YES	NO	1
1614	GHAZIABAD	MECHANICAL TESTING	Hot Rolled Steel Sheets	Tensile test	IS 1079	YES	NO	3
1615	GHAZIABAD	MECHANICAL TESTING	Hot Rolled Steel Sheets	Cupping test	IS 1079	NO	NO	1
1616	GHAZIABAD	MECHANICAL TESTING	Hot Rolled Steel Sheets	Bend test	IS 1079	YES	NO	1
1617	GHAZIABAD	MECHANICAL TESTING	Hot Rolled Steel Sheets	Chemical composition test	IS 1079	YES	NO	3
1618	GHAZIABAD	MECHANICAL TESTING	Hot Rolled Steel Sheets	Full Test	IS 1079	YES	NO	12
1619	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Visual Examination	IS 1161	YES	NO	1
1620	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Tensile test	IS 1161	YES	NO	4
1621	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Dimensions	IS 1161	YES	NO	1
1622	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Mass	IS 1161	YES	NO	1
1623	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Bend test /Flattening	IS 1161	YES	NO	1
1624	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Chemical analysis	IS 1161	YES	NO	3
1625	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Galvanisation	IS 1161	YES	NO	1
1626	GHAZIABAD	MECHANICAL TESTING	Galvanised Tubes	Full Test	IS 1161	YES	NO	12
1627	GHAZIABAD	MECHANICAL TESTING	Steel Butt Hinges	Dimensions	IS 1341	YES	NO	1
1628	GHAZIABAD	MECHANICAL TESTING	Steel Butt Hinges	Finish	IS 1341	NO	NO	1
1629	GHAZIABAD	MECHANICAL TESTING	Steel Butt Hinges	Chemical of flap & pin	IS 1341	NO	NO	3
1630	GHAZIABAD	MECHANICAL TESTING	Steel Butt Hinges	Full Test	IS 1341	NO	NO	7
1631	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Visual Examination	IS 1239 (Part 1)	YES	NO	1
1632	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Tensile test	IS 1239 (Part 1)	YES	NO	3
1633	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Dimensions	IS 1239 (Part 1)	YES	NO	1
1634	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Mass	IS 1239 (Part 1)	YES	NO	1
1635	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Bend test /Flattening	IS 1239 (Part 1)	YES	NO	1
1636	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Chemical analysis	IS 1239 (Part 1)	YES	NO	3
1637	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Galvanisation	IS 1239 (Part 1)	YES	NO	1
1638	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Leak Proof Test	IS 1239 (Part 1)	NO	NO	1
1639	GHAZIABAD	MECHANICAL TESTING	G.I. pipes	Full Test	IS 1239 (Part 1)	NO	NO	12

1640	GHAZIABAD	MECHANICAL TESTING	Corrugated Aluminium	Tensile test	IS 1254	YES	NO	4
1641	GHAZIABAD	MECHANICAL TESTING	Corrugated Aluminium	Bend test	IS 1254	YES	NO	1
1642	GHAZIABAD	MECHANICAL TESTING	Corrugated Aluminium	Dimensions	IS 1254	YES	NO	1
1643	GHAZIABAD	MECHANICAL TESTING	Corrugated Aluminium	Chemical analysis	IS 1254	NO	NO	3
1644	GHAZIABAD	MECHANICAL TESTING	Corrugated Aluminium	Full Test	IS 1254	NO	NO	10
1645	GHAZIABAD	MECHANICAL TESTING	Aluminium Sections	Dimensions	IS 1285	YES	NO	1
1646	GHAZIABAD	MECHANICAL TESTING	Aluminium Sections	Tensile test	IS 1285	YES	NO	4
1647	GHAZIABAD	MECHANICAL TESTING	Aluminium Sections	Chemical analysis	IS 1285	NO	NO	3
1648	GHAZIABAD	MECHANICAL TESTING	Aluminium Sections	Full Test	IS 1285	NO	NO	10
1649	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	Dimensions	IS 1363/1367	YES	NO	1
1650	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	proof test	IS 1363/1367	YES	NO	1
1651	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	Wedge loading test	IS 1363/1367	YES	NO	1
1652	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	Hardness test	IS 1363/1367	YES	NO	1
1653	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	surface integrity test	IS 1363/1367	NO	NO	1
1654	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	Chemical analysis	IS 1363/1367	NO	NO	3
1655	GHAZIABAD	MECHANICAL TESTING	Bolts / Nuts	Full Test	IS 1363/1367	NO9	NO	10
1656	GHAZIABAD	MECHANICAL TESTING	Spun Cast Iron	Dimensions	IS 1536	YES	NO	1
1657	GHAZIABAD	MECHANICAL TESTING	Spun Cast Iron	Hardness test	IS 1536	YES	NO	1
1658	GHAZIABAD	MECHANICAL TESTING	Spun Cast Iron	Mass	IS 1536	YES	NO	1
1659	GHAZIABAD	MECHANICAL TESTING	Spun Cast Iron	Coating test	IS 1536	NO	NO	1
1660	GHAZIABAD	MECHANICAL TESTING	Spun Cast Iron	Full Test (above tests only)	IS 1536	NO	NO	7
1661	GHAZIABAD	MECHANICAL TESTING	Cast Iron Fittings	Dimensions	IS 1537	YES	NO	1
1662	GHAZIABAD	MECHANICAL TESTING	Cast Iron Fittings	Hardness test	IS 1537	YES	NO	1
1663	GHAZIABAD	MECHANICAL TESTING	Cast Iron Fittings	Mass	IS 1537	YES	NO	1
1664	GHAZIABAD	MECHANICAL TESTING	Cast Iron Fittings	Coating test	IS 1537	NO	NO	1
1665	GHAZIABAD	MECHANICAL TESTING	Cast Iron Fittings	Full Test (above tests only)	IS 1537	NO	NO	7
1666	GHAZIABAD	MECHANICAL TESTING	Steel Wire for Prestressed Concrete.	Dimensions	IS 1785	YES	NO	1
1667	GHAZIABAD	MECHANICAL TESTING	Steel Wire for Prestressed Concrete.	Tensile test	IS 1785	YES	NO	3
1668	GHAZIABAD	MECHANICAL TESTING	Steel Wire for Prestressed Concrete.	Chemical analysis	IS 1785	YES	NO	3
1669	GHAZIABAD	MECHANICAL TESTING	Steel Wire for Prestressed Concrete.	Full Test	IS 1785	YES	NO	10
1670	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Mass per meter run	IS 1786	YES	YES	1
1671	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Tensile test	IS 1786	YES	YES	2
1672	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Bend test	IS 1786	YES	YES	1
1673	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Rebend test	IS 1786	YES	YES	1
1674	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Pull out test	IS 1786	YES	YES	40
1675	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Rib area	IS 1786	YES	YES	1
1676	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Chemical analysis	IS 1786	YES	YES	3
1677	GHAZIABAD	MECHANICAL TESTING	HSD Bar (0-12 mm)	Full Test	IS 1786	YES	YES	45 days
1678	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Mass per meter run	IS 1786	YES	YES	1
1679	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Tensile test	IS 1786	YES	YES	2
1680	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Bend test	IS 1786	YES	YES	1
1681	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Pull out test	IS 1786	YES	YES	1
1682	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Rebend test	IS 1786	YES	YES	40
1683	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Rib area	IS 1786	YES	YES	1
1684	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Chemical analysis	IS 1786	YES	YES	3
1685	GHAZIABAD	MECHANICAL TESTING	HSD Bar (12 - 28 mm)	Full Test	IS 1786	YES	YES	45
1686	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Mass per meter run	IS 1786	YES	YES	1
1687	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Tensile test	IS 1786	YES	YES	2
1688	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Bend test	IS 1786	YES	YES	1
1689	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Rebend test	IS 1786	YES	YES	1
1690	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Pull out test	IS 1786	YES	YES	40
1691	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Rib area	IS 1786	YES	YES	1
1692	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Chemical analysis	IS 1786	YES	YES	3

1693	GHAZIABAD	MECHANICAL TESTING	HSD Bar (28 -32 mm)	Full Test	IS 1786	YES	YES	45
1694	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Dimensions	IS 1977	YES	YES	1
1695	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Mass	IS 1977	YES	YES	1
1696	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Tensile test	IS 1977	YES	YES	4
1697	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Bend test	IS 1977	YES	YES	1
1698	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Chemical analysis	IS 1977	NO	NO	3
1699	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Chem. Analysis with micro alloys	IS 1977	YES	YES	3
1700	GHAZIABAD	MECHANICAL TESTING	Low Tesile Structural Steel	Full Test	IS 1977	YES	YES	15
1701	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Visual Examination	IS 2062	YES	YES	1
1702	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Tensile test	IS 2062	YES	YES	3
1703	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Bend test(upto 25 mm)	IS 2062	YES	YES	1
1704	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Bend test (above 25 mm)	IS 2062	YES	YES	1
1705	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Impact test	IS 2062	YES	YES	4
1706	GHAZIABAD	MECHANICAL TESTING	Structural Steel	chemical analysis	IS 2062	YES	YES	3
1707	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Full Test upto 25 mm	IS 2062	YES	YES	15
1708	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Full Test above 25 mm	IS 2062	YES	YES	15
1709	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Full Test upto 25 mm :Quality: BR	IS 2062	YES	YES	15
1710	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Full Test upto 25 mm: Quality: B0 & C	IS 2062	YES	YES	15
1711	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Full Test above 25 mm:Quality: BR	IS 2062	YES	YES	15
1712	GHAZIABAD	MECHANICAL TESTING	Structural Steel	Full Test above 25 mm:Quality: B0 & C	IS 2062	YES	YES	15
1713	GHAZIABAD	MECHANICAL TESTING	Domestic Cooker	Capacity	IS 2347	YES	NO	1
1714	GHAZIABAD	MECHANICAL TESTING	Domestic Cooker	Performance test	IS 2347	YES	NO	3
1715	GHAZIABAD	MECHANICAL TESTING	Domestic Cooker	Proof pressure test & burst pressure test	IS 2347	YES	NO	3
1716	GHAZIABAD	MECHANICAL TESTING	Domestic Cooker	Chemical analysis for body & lid	IS 2347	NO	NO	3
1717	GHAZIABAD	MECHANICAL TESTING	Domestic Cooker	Full Test	IS 2347	NO	NO	15
1718	GHAZIABAD	MECHANICAL TESTING	Galvanised Chain Link	Dimensions	IS 2721	YES	NO	1
1719	GHAZIABAD	MECHANICAL TESTING	Galvanised Chain Link	Tensile test	IS 2721	YES	NO	3
1720	GHAZIABAD	MECHANICAL TESTING	Galvanised Chain Link	Wrapping test	IS 2721	YES	NO	1
1721	GHAZIABAD	MECHANICAL TESTING	Galvanised Chain Link	Galavanisation	IS 2721	YES	NO	2
1722	GHAZIABAD	MECHANICAL TESTING	Galvanised Chain Link	Chemical analysis	IS 2721	NO	NO	3
1723	GHAZIABAD	MECHANICAL TESTING	Galvanised Chain Link	Full Test	IS 2721	NO	NO	12
1724	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Visual Examination	IS 3601	YES	NO	10
1725	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Dimensions	IS 3601	YES	NO	1
1726	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Tensile test	IS 3601	YES	NO	3
1727	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Bend test /Flattening	IS 3601	YES	NO	1
1728	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Drift Expansion	IS 3601	YES	NO	1
1729	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Chemical analysis	IS 3601	NO	NO	3
1730	GHAZIABAD	MECHANICAL TESTING	Steel Tubes	Full Test	IS 3601	NO	NO	12
1731	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Visual Examination	IS 4270	YES	NO	1
1732	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Dimensions	IS 4270	YES	NO	1
1733	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Tensile test	IS 4270	YES	NO	3
1734	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Bend test /Flattening	IS 4270	YES	NO	1
1735	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Micro structure of weld	IS 4270	YES	NO	2
1736	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Chemical analysis	IS 4270	YES	NO	3
1737	GHAZIABAD	MECHANICAL TESTING	Steel tubes for Water Wells	Full Test	IS 4270	YES	NO	12
1738	GHAZIABAD	MECHANICAL TESTING	C.I. Pressure pipe For Water & Sewerage	Hardness test	IS 5531	YES	NO	1
1739	GHAZIABAD	MECHANICAL TESTING	C.I. Pressure pipe For Water & Sewerage	Proof pressure test	IS 5531	NO	NO	2
1740	GHAZIABAD	MECHANICAL TESTING	C.I. Pressure pipe For Water & Sewerage	Dimensions	IS 5531	YES	NO	1

1741	GHAZIABAD	MECHANICAL TESTING	C.I. Pressure pipe For Water & Sewerage	Mass	IS 5531	YES	NO	1
1742	GHAZIABAD	MECHANICAL TESTING	C.I. Pressure pipe For Water & Sewerage	Coating test	IS 5531	NO	NO	1
1743	GHAZIABAD	MECHANICAL TESTING	C.I. Pressure pipe For Water & Sewerage	Full Test	IS 5531	NO	NO	10
1744	GHAZIABAD	MECHANICAL TESTING	Indented Wire for Pre-Std Ct.	Dimensions	IS 6003	YES	NO	1
1745	GHAZIABAD	MECHANICAL TESTING	Indented Wire for Pre-Std Ct.	Geometric consideration	IS 6003	NO	NO	1
1746	GHAZIABAD	MECHANICAL TESTING	Indented Wire for Pre-Std Ct.	Tensile test	IS 6003	YES	NO	3
1747	GHAZIABAD	MECHANICAL TESTING	Indented Wire for Pre-Std Ct.	Reverse bend test	IS 6003	NO	NO	1
1748	GHAZIABAD	MECHANICAL TESTING	Indented Wire for Pre-Std Ct.	Chemical analysis	IS 6003	YES	NO	3
1749	GHAZIABAD	MECHANICAL TESTING	Indented Wire for Pre-Std Ct.	Full Test	IS 6003	NO	NO	10
1750	GHAZIABAD	MECHANICAL TESTING	Uncoated Stress Relieved Strand for pre stressed concrete	Dimensions	IS 6006	YES	NO	1
1751	GHAZIABAD	MECHANICAL TESTING	Uncoated Stress Relieved Strand for pre stressed concrete	Tensile test	IS 6006	YES	NO	2
1752	GHAZIABAD	MECHANICAL TESTING	Uncoated Stress Relieved Strand for pre stressed concrete	Chemical analysis	IS 6006	NO	NO	3
1753	GHAZIABAD	MECHANICAL TESTING	Uncoated Stress Relieved Strand for pre stressed concrete	Full Test	IS 6006	NO	NO	10
1754	GHAZIABAD	MECHANICAL TESTING	SS,Plate, Sheet / Strip	Dimensions	IS 6911	YES	NO	1
1755	GHAZIABAD	MECHANICAL TESTING	SS,Plate, Sheet / Strip	Tensile test	IS 6911	YES	NO	3
1756	GHAZIABAD	MECHANICAL TESTING	SS,Plate, Sheet / Strip	Bend test	IS 6911	YES	NO	1
1757	GHAZIABAD	MECHANICAL TESTING	SS,Plate, Sheet / Strip	Chemical analysis	IS 6911	YES	NO	3
1758	GHAZIABAD	MECHANICAL TESTING	SS,Plate, Sheet / Strip	Full Test	IS 6911	YES	NO	10
1759	GHAZIABAD	MECHANICAL TESTING	Double Flanged Pipe (Cast)	Dimensions	IS 7181	YES	NO	1
1760	GHAZIABAD	MECHANICAL TESTING	Double Flanged Pipe (Cast)	Mass	IS 7181	YES	NO	1
1761	GHAZIABAD	MECHANICAL TESTING	Double Flanged Pipe (Cast)	Hardness test	IS 7181	YES	NO	1
1762	GHAZIABAD	MECHANICAL TESTING	Double Flanged Pipe (Cast)	Proof pressure test	IS 7181	NO	NO	2
1763	GHAZIABAD	MECHANICAL TESTING	Double Flanged Pipe (Cast)	Coating test	IS 7181	NO	NO	1
1764	GHAZIABAD	MECHANICAL TESTING	Double Flanged Pipe (Cast)	Full Test	IS 7181	NO	NO	10
1765	GHAZIABAD	MECHANICAL TESTING	Conduits	Dimensions	IS 9537	YES	NO	1
1766	GHAZIABAD	MECHANICAL TESTING	Conduits	Checking outer dia	IS 9537	YES	NO	1
1767	GHAZIABAD	MECHANICAL TESTING	Conduits	Bend test	IS 9537	YES	NO	1
1768	GHAZIABAD	MECHANICAL TESTING	Conduits	Compression test	IS 9537	YES	NO	1
1769	GHAZIABAD	MECHANICAL TESTING	Conduits	External influence	IS 9537	NO	NO	2
1770	GHAZIABAD	MECHANICAL TESTING	Conduits	Full Test	IS 9537	NO	NO	7
1771	GHAZIABAD	MECHANICAL TESTING	Uncoated stress relieved low relaxation 7 ply strand	Dimensions	IS 14268	YES	NO	1
1772	GHAZIABAD	MECHANICAL TESTING	Uncoated stress relieved low relaxation 7 ply strand	Workmanship & finish	IS 14268	YES	NO	1
1773	GHAZIABAD	MECHANICAL TESTING	Uncoated stress relieved low relaxation 7 ply strand	Tensile test	IS 14268	YES	NO	2
1774	GHAZIABAD	MECHANICAL TESTING	Uncoated stress relieved low relaxation 7 ply strand	Chemical test	IS 14268	NO	NO	3
1775	GHAZIABAD	MECHANICAL TESTING	Uncoated stress relieved low relaxation 7 ply strand	Full test	IS 14268	NO	NO	10
1776	GHAZIABAD	MECHANICAL TESTING	Hot rolled steel rivet bar	Dimensions	IS 1148	YES	NO	1
1777	GHAZIABAD	MECHANICAL TESTING	Hot rolled steel rivet bar	Tensile test	IS 1148	YES	NO	3
1778	GHAZIABAD	MECHANICAL TESTING	Hot rolled steel rivet bar	Bend test	IS 1148	YES	NO	1
1779	GHAZIABAD	MECHANICAL TESTING	Hot rolled steel rivet bar	Chemical analysis	IS 1148	NO	NO	3
1780	GHAZIABAD	MECHANICAL TESTING	Hot rolled steel rivet bar	Full test	IS 1148	NO	NO	10
1781	GHAZIABAD	MECHANICAL TESTING	High Tensile steel rivet bar	Dimensions	IS 1149	YES	NO	7
1782	GHAZIABAD	MECHANICAL TESTING	High Tensile steel rivet bar	Tensile test	IS 1149	YES	NO	1
1783	GHAZIABAD	MECHANICAL TESTING	High Tensile steel rivet bar	Bend test	IS 1149	YES	NO	1
1784	GHAZIABAD	MECHANICAL TESTING	High Tensile steel rivet bar	Chemical analysis	IS 1149	NO	NO	3
1785	GHAZIABAD	MECHANICAL TESTING	High Tensile steel rivet bar	Full test	IS 1149	NO	NO	7
1786	GHAZIABAD	MECHANICAL TESTING	Phosphor bronze wire	Dimensions	IS 7608	YES	NO	1
1787	GHAZIABAD	MECHANICAL TESTING	Phosphor bronze wire	Tensile test	IS 7608	YES	NO	1

1788	GHAZIABAD	MECHANICAL TESTING	Phosphor bronze wire	Chemical	IS 7608	NO	NO	3
1789	GHAZIABAD	MECHANICAL TESTING	Phosphor bronze wire	Full test	IS 7608	NO	NO	7
1790	GHAZIABAD	MECHANICAL TESTING	Bib tap and stop valves	Dimensions	IS 781	YES	NO	1
1791	GHAZIABAD	MECHANICAL TESTING	Bib tap and stop valves	Mass	IS 781	YES	NO	1
1792	GHAZIABAD	MECHANICAL TESTING	Bib tap and stop valves	Finish	IS 781	NO	NO	1
1793	GHAZIABAD	MECHANICAL TESTING	Bib tap and stop valves	Hydraulic test	IS 781	NO	NO	2
1794	GHAZIABAD	MECHANICAL TESTING	Bib tap and stop valves	Full test	IS 781	NO	NO	7
1795	GHAZIABAD	MECHANICAL TESTING	Steel sections for door, window and ventilator	Dimensions	IS 1038	YES	NO	1
1796	GHAZIABAD	MECHANICAL TESTING	Steel sections for door, window and ventilator	Finish	IS 1038	NO	NO	1
1797	GHAZIABAD	MECHANICAL TESTING	Steel sections for door, window and ventilator	Micro & Macro analysis	IS 1038	NO	NO	3
1798	GHAZIABAD	MECHANICAL TESTING	Steel sections for door, window and ventilator	Chemical analysis	IS 1038	NO	NO	3
1799	GHAZIABAD	MECHANICAL TESTING	Steel sections for door, window and ventilator	Full test	IS 1038	NO	NO	10
1800	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Dimensions	IS 398	YES	NO	1
1801	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Lay ratio & Direction of lay	IS 398	YES	NO	1
1802	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Breaking load	IS 398	YES	NO	2
1803	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Ductility	IS 398	YES	NO	1
1804	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Wrapping test	IS 398	YES	NO	1
1805	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Coating test	IS 398	NO	NO	3
1806	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Resistance of Aluminium wire at 20 deg. C	IS 398	NO	NO	1
1807	GHAZIABAD	MECHANICAL TESTING	Conductor ACSR	Full test	IS 398	NO	NO	10
1808	GHAZIABAD	MECHANICAL TESTING	Steel for volute, helical and laminated springs	Dimensions	IS 3431	YES	NO	1
1809	GHAZIABAD	MECHANICAL TESTING	Steel for volute, helical and laminated springs	Hardness test	IS 3431	YES	NO	1
1810	GHAZIABAD	MECHANICAL TESTING	Steel for volute, helical and laminated springs	Tensile test	IS 3431	YES	NO	3
1811	GHAZIABAD	MECHANICAL TESTING	Steel for volute, helical and laminated springs	Straightness test	IS 3431	NO	NO	1
1812	GHAZIABAD	MECHANICAL TESTING	Steel for volute, helical and laminated springs	Chemical analysis	IS 3431	NO	NO	3
1813	GHAZIABAD	MECHANICAL TESTING	Steel for volute, helical and laminated springs	Full test	IS 3431	NO	NO	10
1814	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Driving arrangement	IS 14769 / 12109	NO	NO	1
1815	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Sewing mechanism	IS 14769 / 12109	NO	NO	1
1816	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Lubrication	IS 14769 / 12109	NO	NO	1
1817	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Workmanship & finish	IS 14769 / 12109	NO	NO	1
1818	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Accuracy requirement test	IS 14769 / 12109	NO	NO	1
1819	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Sewing requirement test	IS 14769 / 12109	NO	NO	1
1820	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Durability requirement test	IS 14769 / 12109	NO	NO	1
1821	GHAZIABAD	MECHANICAL TESTING	Sewing machine	Full test	IS 14769 / 12109	NO	NO	10
1822	GHAZIABAD	MECHANICAL TESTING	Brass bars/ rods	Tensile test	IS 319	YES	YES	3
1823	GHAZIABAD	MECHANICAL TESTING	Brass bars/ rods	Chemical analysis	IS 319	YES	YES	3
1824	GHAZIABAD	MECHANICAL TESTING	Brass bars/ rods	Full test	IS 319	YES	YES	7
1825	GHAZIABAD	MECHANICAL TESTING	C.I. Spigot & socket soil waste & ventilating pipe	Hammer test	IS 1729	NO	NO	1
1826	GHAZIABAD	MECHANICAL TESTING	hydraustatic test	hydrostatic test	IS 1729	NO	NO	2
1827	GHAZIABAD	MECHANICAL TESTING	Dimension test	Dimension test	IS 1729	YES	NO	1

1828	GHAZIABAD	MECHANICAL TESTING	Mass	Mass	IS 1729	YES	NO	1
1829	GHAZIABAD	MECHANICAL TESTING	Hardness test	Hardness test	IS 1729	YES	NO	1
1830	GHAZIABAD	MECHANICAL TESTING	Full test	Full test	IS 1729	NO	NO	10
1831	GHAZIABAD	MECHANICAL TESTING	Sluice valves	Dimensions	IS 14846	YES	NO	1
1832	GHAZIABAD	MECHANICAL TESTING	Sluice valves	Mass	IS 14846	YES	NO	1
1833	GHAZIABAD	MECHANICAL TESTING	Sluice valves	Hydraulic test	IS 14846	NO	NO	2
1834	GHAZIABAD	MECHANICAL TESTING	Sluice valves	Coating test	IS 14846	NO	NO	2
1835	GHAZIABAD	MECHANICAL TESTING	Sluice valves	Full test	IS 14846	NO	NO	10
1836	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Dimensions	IS 4923	YES	NO	1
1837	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Weight	IS 4923	YES	NO	1
1838	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Tensile	IS 4923	YES	NO	3
1839	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Straightness & twist test	IS 4923	NO	NO	1
1840	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Concavity / Convexity test	IS 4923	NO	NO	1
1841	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Oiling & painting test	IS 4923	NO	NO	1
1842	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Chemical analysis	IS 4923	YES	NO	3
1843	GHAZIABAD	MECHANICAL TESTING	Hollow steel section for structural use	Full test	IS 4923	NO	NO	12
1844	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Dimensions	IS 3589	YES	NO	1
1845	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Visual inspection	IS 3589	YES	NO	1
1846	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Workmanship	IS 3589	YES	NO	1
1847	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Straightness test	IS 3589	NO	NO	1
1848	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Mass	IS 3589	YES	NO	1
1849	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Tensile	IS 3589	YES	NO	3
1850	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Flattening test	IS 3589	YES	NO	2
1851	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Chemical analysis	IS 3589	YES	NO	3
1852	GHAZIABAD	MECHANICAL TESTING	Seamless / ERW Steel pipes	Full test	IS 3589	NO	NO	15
1853	GHAZIABAD	MECHANICAL TESTING	Steel Wire for cold formed springs	Dimensions	IS 4454(part1)	YES	NO	1
1854	GHAZIABAD	MECHANICAL TESTING	Steel Wire for cold formed springs	Tensile	IS 4454(part1)	YES	NO	3
1855	GHAZIABAD	MECHANICAL TESTING	Steel Wire for cold formed springs	Reduction in area	IS 4454(part1)	YES	NO	1
1856	GHAZIABAD	MECHANICAL TESTING	Steel Wire for cold formed springs	Torsion test / wrapping test	IS 4454(part1)	YES	NO	1
1857	GHAZIABAD	MECHANICAL TESTING	Steel Wire for cold formed springs	Chemical analysis	IS 4454(part1)	YES	NO	3
1858	GHAZIABAD	MECHANICAL TESTING	Steel Wire for cold formed springs	Full test	IS 4454(part1)	YES	NO	10
1859	GHAZIABAD	MECHANICAL TESTING	Leadad and tin bronze ingots and casting	Tensile	IS 318	YES	YES	3
1860	GHAZIABAD	MECHANICAL TESTING	Leadad and tin bronze ingots and casting	Dimensions	IS 318	YES	YES	1
1861	GHAZIABAD	MECHANICAL TESTING	Leadad and tin bronze ingots and casting	Mass	IS 318	YES	YES	1
1862	GHAZIABAD	MECHANICAL TESTING	Leadad and tin bronze ingots and casting	Chemical analysis	IS 318	YES	YES	3
1863	GHAZIABAD	MECHANICAL TESTING	Leadad and tin bronze ingots and casting	Full test	IS 318	YES	YES	10
1864	GHAZIABAD	MECHANICAL TESTING	Door handless	Dimensions	IS 208	YES	NO	1
1865	GHAZIABAD	MECHANICAL TESTING	Door handless	finish	IS 208	NO	NO	1
1866	GHAZIABAD	MECHANICAL TESTING	Door handless	Chemical analysis	IS 208	NO	NO	3
1867	GHAZIABAD	MECHANICAL TESTING	Door handless	Full test	IS 208	NO	NO	7
1868	GHAZIABAD	MECHANICAL TESTING	Line pipe	Dimensions	IS 1978	YES	NO	1
1869	GHAZIABAD	MECHANICAL TESTING	Line pipe	Weight	IS 1978	YES	NO	1
1870	GHAZIABAD	MECHANICAL TESTING	Line pipe	Straightness test	IS 1978	NO	NO	1
1871	GHAZIABAD	MECHANICAL TESTING	Line pipe	Tensile	IS 1978	YES	NO	3
1872	GHAZIABAD	MECHANICAL TESTING	Line pipe	Flattening test	IS 1978	NO	NO	2

1873	GHAZIABAD	MECHANICAL TESTING	Line pipe	Workmanship	IS 1978	YES	NO	1
1874	GHAZIABAD	MECHANICAL TESTING	Line pipe	Visual inspection	IS 1978	YES	NO	1
1875	GHAZIABAD	MECHANICAL TESTING	Line pipe	Chemical analysis	IS 1978	NO	NO	3
1876	GHAZIABAD	MECHANICAL TESTING	Line pipe	Full test	IS 1978	NO	NO	15
1877	GHAZIABAD	MECHANICAL TESTING	Welded steel wire fabric for general use	Dimensions	IS 4948	YES	NO	1
1878	GHAZIABAD	MECHANICAL TESTING	Welded steel wire fabric for general use	Tensile	IS 4948	YES	NO	3
1879	GHAZIABAD	MECHANICAL TESTING	Welded steel wire fabric for general use	Bend test	IS 4948	YES	NO	2
1880	GHAZIABAD	MECHANICAL TESTING	Welded steel wire fabric for general use	Weld test	IS 4948	NO	NO	3
1881	GHAZIABAD	MECHANICAL TESTING	Welded steel wire fabric for general use	Chemical analysis	IS 4948	NO	NO	3
1882	GHAZIABAD	MECHANICAL TESTING	Welded steel wire fabric for general use	Full test	IS 4948	NO	NO	15
1883	GHAZIABAD	MECHANICAL TESTING	Hard drawn steel wire fabric for concrete reinforcement	Dimensions	IS 1566	YES	NO	1
1884	GHAZIABAD	MECHANICAL TESTING	Hard drawn steel wire fabric for concrete reinforcement	Tensile	IS 1566	YES	NO	3
1885	GHAZIABAD	MECHANICAL TESTING	Hard drawn steel wire fabric for concrete reinforcement	Bend test	IS 1566	YES	NO	1
1886	GHAZIABAD	MECHANICAL TESTING	Hard drawn steel wire fabric for concrete reinforcement	Chemical analysis	IS 1566	NO	NO	3
1887	GHAZIABAD	MECHANICAL TESTING	Hard drawn steel wire fabric for concrete reinforcement	Full test	IS 1566	NO	NO	12
1888	GHAZIABAD	MECHANICAL TESTING	Tubular steel poles for structural steels	Dimensions	IS 2713	YES	NO	1
1889	GHAZIABAD	MECHANICAL TESTING	Tubular steel poles for structural steels	Weight	IS 2713	NO	NO	1
1890	GHAZIABAD	MECHANICAL TESTING	GI Strand	Dimensions	IS 2141	YES	NO	1
1891	GHAZIABAD	MECHANICAL TESTING	GI Strand	Lay length & direction	IS 2141	YES	NO	1
1892	GHAZIABAD	MECHANICAL TESTING	GI Strand	Tensile test	IS 2141	YES	NO	3
1893	GHAZIABAD	MECHANICAL TESTING	GI Strand	Ductility test	IS 2141	YES	NO	1
1894	GHAZIABAD	MECHANICAL TESTING	GI Strand	Freedom from defect	IS 2141	YES	NO	1
1895	GHAZIABAD	MECHANICAL TESTING	GI Strand	Galvanising	IS 2141	YES	NO	2
1896	GHAZIABAD	MECHANICAL TESTING	GI Strand	Full test	IS 2141	YES	NO	12
1897	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Visual Examination	IS:513 (Part -1)	YES	NO	1
1898	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Dimension	IS:513 (Part -1)	YES	NO	1
1899	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Tensile test	IS:513 (Part -1)	YES	NO	3
1900	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Hardness	IS:513 (Part -1)	YES	NO	1
1901	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Bend test	IS:513 (Part -1)	YES	NO	1
1902	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Chemical Composition	IS:513 (Part -1)	YES	NO	3
1903	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Cupping test	IS:513 (Part -1)	NO	NO	2
1904	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Surface Finish	IS:513 (Part -1)	NO	NO	1
1905	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Visual Examination	IS:513 (Part -2)	YES	NO	1
1906	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Dimension	IS:513 (Part -2)	YES	NO	1
1907	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Tensile test	IS:513 (Part -2)	YES	NO	3
1908	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Bend test	IS:513 (Part -2)	YES	NO	1
1909	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Chemical Composition	IS:513 (Part -2)	YES	NO	3
1910	GHAZIABAD	MECHANICAL TESTING	Cold Reduced Carbon Steel Sheet and Strip	Surface Finish	IS:513 (Part -2)	NO	NO	1

1911	GHAZIABAD	MECHANICAL TESTING	Charpy Impact Test- Quality BR	Charpy Test	IS 1757 : 1988	YES	NO	4
1912	GHAZIABAD	MECHANICAL TESTING	Charpy Impact Test- Quality B0/C	Charpy Test	IS 1757 : 1988	YES	NO	4
1913	GHAZIABAD	MECHANICAL TESTING	Only tensile testing- Without sample preparation	Tensile test	IS 1608	YES	NO	3
1914	GHAZIABAD	MECHANICAL TESTING	Only tensile testing- Including sample preparation	Tensile test	IS 1608	YES	NO	3
1915	GHAZIABAD	MECHANICAL TESTING	Compression Testing	Compresion test	Revelant	YES	NO	2
1916	GHAZIABAD	MECHANICAL TESTING	Brinell Hardness Testing	Hardness test	IS 1500	YES	NO	2
1917	GHAZIABAD	MECHANICAL TESTING	Vickers Hardness Testing	Hardness test	IS 1501	YES	NO	2
1918	GHAZIABAD	MECHANICAL TESTING	Rockwell Hardness Testing	Hardness test	IS 1586	YES	NO	2
1919	GHAZIABAD	MECHANICAL TESTING	Hydrostatic pressure testing	Pressure test	Revelant	YES	NO	3
1920	GHAZIABAD	MECHANICAL TESTING	Bend test: Without sample preparation	Bend test	IS 1599	YES	NO	2
1921	GHAZIABAD	MECHANICAL TESTING	Bend test: Including sample preparation	Bend test	IS 1600	YES	NO	5
1922	GHAZIABAD	MECHANICAL TESTING	Cupping Test	Cupping test	IS 513	NO	NO	2
1923	GHAZIABAD	MECHANICAL TESTING	Wrapping Test	Wrapping test	IS 1755	YES	NO	2
1924	GHAZIABAD	MECHANICAL TESTING	Dimension measurement- Up to 10 dimensions	Dimension	Revelant	YES	NO	2
1925	GHAZIABAD	MECHANICAL TESTING	Domestic Pressure Cooker : Full Test	Full Test	I.S:2347 2006	YES	NO	15
1926	GHAZIABAD	MECHANICAL TESTING	Steel Tubes , Tubulars and other wrought steel fittings : Full Test	Full Test	I.S.: 1239 (Part.1) 2004	YES	NO	12
1927	GHAZIABAD	MECHANICAL TESTING	Steel Tubes , Tubulars and other wrought steel fittings : Full Test with Leak Proof test as per Cl.13 of I.S.:2347(Part.1):2004	Full test	I.S.: 1239 (Part.1) 2004	YES	NO	12
1928	GHAZIABAD	MECHANICAL TESTING	Cantenary Wire with 37 wires in the wire strand(test on all individual wires)	Full Test	ETI/OHE/50/(6/97)	YES	NO	15
1929	GHAZIABAD	MECHANICAL TESTING	Copper Jumper Wire	Full Test	ETI/OHE/3(2/94)	YES	NO	15
1930	GHAZIABAD	MECHANICAL TESTING	Contact Wire	Full Test	ETI/OHE/76(6/97)	YES	NO	15
1931	GHAZIABAD	MECHANICAL TESTING	S.S.Wire Rope	Full Test	TI/SPS/OHE/WR/1060	YES	NO	12